



Declaration of Conformity

No. TF-M017-DOC Rev [7] per DCN [138331]

<u>Manufacturer</u>	<u>EU Authorized Representative</u>	<u>Notified Body</u>
Pioneer Surgical Technology, Inc	Tutogen Medical GmbH (an RTI Surgical, Inc. company)	BSI Say Building, John M. Keynesplein 9
Manufacturer Address: 375 River Park Circle Marquette, Michigan 49855 USA	Industriestrasse 6 91077 Neunkirchen am Brand Germany	1066 EP Amsterdam The Netherlands Number 2797

Object of the Declaration:

Streamline MIS Spinal Fixation System

GMDN Code(s) and Term(s):

GMDN code	Description
61325	Bone-screw internal spinal fixation system, non-sterile
44759	General internal orthopaedic fixation system implantation kit
61467	General external orthopaedic fixation system implantation kit, single-use
13730	Sterilization container
11332	Cannulated surgical drill bit, reusable

Classification in accordance with Annex IX, Rule 8, 6 and 1 of MDD 93/42/EEC as amended by 2007/47/EC:

Class IIb per Rule 8 - Implants

Class IIa per Rule 6 - Single-use and Foreseeable connection to power Instruments

Class I per Rule 1 and 6 - Reusable Instruments and Caddies

The object of the declaration described above is in conformity with the requirements of the following documents, standards, and/or requirements:


<u>Documents No.</u>	<u>Title</u>	<u>Edition/Date of issue</u>
TM-M017	Streamline MIS Spinal Fixation System	per DCN 138331

Conformity assessment procedure performed & date, and certificate(s) issued:

<i>Classification</i>	<i>Include the following based upon classification:</i>
I	According to Annex VII of the European Medical Devices Directive 93/42 EEC, as amended by 2007/47/EC, we hereby declare the above listed products meet the provisions of Medical Devices Directive.
IIa/IIb	We hereby declare that the above mentioned devices comply with the Medical Devices (Amendment) Regulations 2008 No. 2936 transposing European Medical Devices Directive 93/42/EEC as amended by 2007/47/EC. The applicable provisions are Annex II.3 for a full quality assurance system (CE 52820

This DoC is issued under the sole responsibility of manufacturer.

Limitation on the validity of this DoC: none

Signature 

Date: Aug 12, 2020

Name: Christine Thomas

Title: Vice President, Regulatory and Clinical Affairs

For and on behalf of Pioneer Surgical Technology, Inc.

Country of Issue: United States of America

No. TF-M017-DOC Rev [7] per DCN [138331] Attachment Page(s):

Part Number	Component Name	Class	Rule	GMDN
04-55-PR-35	ROD, PRE-BENT 5.5mm (D) X 35mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-40	ROD, PRE-BENT 5.5mm (D) X 40mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-45	ROD, PRE-BENT 5.5mm (D) X 45mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-50	ROD, PRE-BENT 5.5mm (D) X 50mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-55	ROD, PRE-BENT 5.5mm (D) X 55mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-60	ROD, PRE-BENT 5.5mm (D) X 60mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-65	ROD, PRE-BENT 5.5mm (D) X 65mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-70	ROD, PRE-BENT 5.5mm (D) X 70mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-75	ROD, PRE-BENT 5.5mm (D) X 75mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-80	ROD, PRE-BENT 5.5mm (D) X 80mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-90	ROD, PRE-BENT 5.5mm (D) X 90mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-100	ROD, PRE-BENT 5.5mm (D) X 100mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-110	ROD, PRE-BENT 5.5mm (D) X 110mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-120	ROD, PRE-BENT 5.5mm (D) X 120mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-130	ROD, PRE-BENT 5.5mm (D) X 130mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-140	ROD, PRE-BENT 5.5mm (D) X 140mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-150	ROD, PRE-BENT 5.5mm (D) X 150mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-160	ROD, PRE-BENT 5.5mm (D) X 160mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-170	ROD, PRE-BENT 5.5mm (D) X 170mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-180	ROD, PRE-BENT 5.5mm (D) X 180mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-190	ROD, PRE-BENT 5.5mm (D) X 190mm (L)	IIb	Annex IX, Rule 8	61325
04-55-PR-200	ROD, PRE-BENT 5.5mm (D) X 200mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-35	ROD, STRAIGHT 5.5mm (D) X 35mm (L)	IIb	Annex IX, Rule 8	61325

Part Number	Component Name	Class	Rule	GMDN
04-55-RR-40	ROD, STRAIGHT 5.5mm (D) X 40mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-45	ROD, STRAIGHT 5.5mm (D) X 45mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-50	ROD, STRAIGHT 5.5mm (D) X 50mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-55	ROD, STRAIGHT 5.5mm (D) X 55mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-60	ROD, STRAIGHT 5.5mm (D) X 60mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-65	ROD, STRAIGHT 5.5mm (D) X 65mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-70	ROD, STRAIGHT 5.5mm (D) X 70mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-75	ROD, STRAIGHT 5.5mm (D) X 75mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-80	ROD, STRAIGHT 5.5mm (D) X 80mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-90	ROD, STRAIGHT 5.5mm (D) X 90mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-100	ROD, STRAIGHT 5.5mm (D) X 100mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-110	ROD, STRAIGHT 5.5mm (D) X 110mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-120	ROD, STRAIGHT 5.5mm (D) X 120mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-130	ROD, STRAIGHT 5.5mm (D) X 130mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-140	ROD, STRAIGHT 5.5mm (D) X 140mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-150	ROD, STRAIGHT 5.5mm (D) X 150mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-160	ROD, STRAIGHT 5.5mm (D) X 160mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-170	ROD, STRAIGHT 5.5mm (D) X 170mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-180	ROD, STRAIGHT 5.5mm (D) X 180mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-190	ROD, STRAIGHT 5.5mm (D) X 190mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-200	ROD, STRAIGHT 5.5mm (D) X 200mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-210	ROD, STRAIGHT 5.5mm (D) X 210mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-220	ROD, STRAIGHT 5.5mm (D) X 220mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-230	ROD, STRAIGHT 5.5mm (D) X 230mm (L)	IIb	Annex IX, Rule 8	61325

Part Number	Component Name	Class	Rule	GMDN
04-55-RR-240	ROD, STRAIGHT 5.5mm (D) X 240mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-250	ROD, STRAIGHT 5.5mm (D) X 250mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-300	ROD, STRAIGHT 5.5mm (D) X 300mm (L)	IIb	Annex IX, Rule 8	61325
04-55-RR-350	ROD, STRAIGHT 5.5mm (D) X 350mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-45-20	CANNULATED SCREW, POLYAXIAL 4.5mm (D) 20mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-45-25	CANNULATED SCREW, POLYAXIAL 4.5mm (D) 25mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-45-30	CANNULATED SCREW, POLYAXIAL 4.5mm (D) 30mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-45-35	CANNULATED SCREW, POLYAXIAL 4.5mm (D) 35mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-45-40	CANNULATED SCREW, POLYAXIAL 4.5mm (D) 40mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-45-45	CANNULATED SCREW, POLYAXIAL 4.5mm (D) 45mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-55-30	CANNULATED SCREW, POLYAXIAL 5.5mm (D) 30mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-55-35	CANNULATED SCREW, POLYAXIAL 5.5mm (D) 35mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-55-40	CANNULATED SCREW, POLYAXIAL 5.5mm (D) 40mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-55-45	CANNULATED SCREW, POLYAXIAL 5.5mm (D) 45mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-55-50	CANNULATED SCREW, POLYAXIAL 5.5mm (D) 50mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-55-55	CANNULATED SCREW, POLYAXIAL 5.5mm (D) 55mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-55-60	CANNULATED SCREW, POLYAXIAL 5.5mm (D) 60mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-65-30	CANNULATED SCREW, POLYAXIAL 6.5mm (D) 30mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-65-35	CANNULATED SCREW, POLYAXIAL 6.5mm (D) 35mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-65-40	CANNULATED SCREW, POLYAXIAL 6.5mm (D) 40mm (L)	IIb	Annex IX, Rule 8	61325

Part Number	Component Name	Class	Rule	GMDN
05-PA-65-45	CANNULATED SCREW, POLYAXIAL 6.5mm (D) 45mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-65-50	CANNULATED SCREW, POLYAXIAL 6.5mm (D) 50mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-65-55	CANNULATED SCREW, POLYAXIAL 6.5mm (D) 55mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-65-60	CANNULATED SCREW, POLYAXIAL 6.5mm (D) 60mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-65-65	CANNULATED SCREW, POLYAXIAL 6.5mm (D) 65mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-65-70	CANNULATED SCREW, POLYAXIAL 6.5mm (D) 70mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-65-75	CANNULATED SCREW, POLYAXIAL 6.5mm (D) 75mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-65-80	CANNULATED SCREW, POLYAXIAL 6.5mm (D) 80mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-65-85	CANNULATED SCREW, POLYAXIAL 6.5mm (D) 85mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-65-90	CANNULATED SCREW, POLYAXIAL 6.5mm (D) 90mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-65-95	CANNULATED SCREW, POLYAXIAL 6.5mm (D) 95mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-65-100	CANNULATED SCREW, POLYAXIAL 6.5mm (D) 100mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-75-30	CANNULATED SCREW, POLYAXIAL 7.5mm (D) 30mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-75-35	CANNULATED SCREW, POLYAXIAL 7.5mm (D) 35mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-75-40	CANNULATED SCREW, POLYAXIAL 7.5mm (D) 40mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-75-45	CANNULATED SCREW, POLYAXIAL 7.5mm (D) 45mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-75-50	CANNULATED SCREW, POLYAXIAL 7.5mm (D) 50mm (L)	IIb	Annex IX, Rule 8	61325

Part Number	Component Name	Class	Rule	GMDN
05-PA-75-55	CANNULATED SCREW, POLYAXIAL 7.5mm (D) 55mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-75-60	CANNULATED SCREW, POLYAXIAL 7.5mm (D) 60mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-75-65	CANNULATED SCREW, POLYAXIAL 7.5mm (D) 65mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-75-70	CANNULATED SCREW, POLYAXIAL 7.5mm (D) 70mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-75-75	CANNULATED SCREW, POLYAXIAL 7.5mm (D) 75mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-75-80	CANNULATED SCREW, POLYAXIAL 7.5mm (D) 80mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-75-85	CANNULATED SCREW, POLYAXIAL 7.5mm (D) 85mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-75-90	CANNULATED SCREW, POLYAXIAL 7.5mm (D) 90mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-75-95	CANNULATED SCREW, POLYAXIAL 7.5mm (D) 95mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-75-100	CANNULATED SCREW, POLYAXIAL 7.5mm (D) 100mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-85-30	CANNULATED SCREW, POLYAXIAL 8.5mm (D) 30mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-85-35	CANNULATED SCREW, POLYAXIAL 8.5mm (D) 35mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-85-40	CANNULATED SCREW, POLYAXIAL 8.5mm (D) 40mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-85-45	CANNULATED SCREW, POLYAXIAL 8.5mm (D) 45mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-85-50	CANNULATED SCREW, POLYAXIAL 8.5mm (D) 50mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-85-55	CANNULATED SCREW, POLYAXIAL 8.5mm (D) 55mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-85-60	CANNULATED SCREW, POLYAXIAL 8.5mm (D) 60mm (L)	IIb	Annex IX, Rule 8	61325

Part Number	Component Name	Class	Rule	GMDN
05-PA-85-65	CANNULATED SCREW, POLYAXIAL 8.5mm (D) 65mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-85-70	CANNULATED SCREW, POLYAXIAL 8.5mm (D) 70mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-85-75	CANNULATED SCREW, POLYAXIAL 8.5mm (D) 75mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-85-80	CANNULATED SCREW, POLYAXIAL 8.5mm (D) 80mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-85-85	CANNULATED SCREW, POLYAXIAL 8.5mm (D) 85mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-85-90	CANNULATED SCREW, POLYAXIAL 8.5mm (D) 90mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-85-95	CANNULATED SCREW, POLYAXIAL 8.5mm (D) 95mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-85-100	CANNULATED SCREW, POLYAXIAL 8.5mm (D) 100mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-95-40	CANNULATED SCREW, POLYAXIAL 9.5mm (D) 40mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-95-45	CANNULATED SCREW, POLYAXIAL 9.5mm (D) 45mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-95-50	CANNULATED SCREW, POLYAXIAL 9.5mm (D) 50mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-95-55	CANNULATED SCREW, POLYAXIAL 9.5mm (D) 55mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-95-60	CANNULATED SCREW, POLYAXIAL 9.5mm (D) 60mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-95-70	CANNULATED SCREW, POLYAXIAL 9.5mm (D) 70mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-95-80	CANNULATED SCREW, POLYAXIAL 9.5mm (D) 80mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-95-90	CANNULATED SCREW, POLYAXIAL 9.5mm (D) 90mm (L)	IIb	Annex IX, Rule 8	61325
05-PA-95-100	CANNULATED SCREW, POLYAXIAL 9.5mm (D) 100mm (L)	IIb	Annex IX, Rule 8	61325

Part Number	Component Name	Class	Rule	GMDN
04-CANNAWL	CANNULATED BONE AWL 3.8mm (D) X 30mm (L)	I	Annex IX, Rule 6	44759
04-CANNTAP-40	CANNULATED TAP 4.0mm (D)	I	Annex IX, Rule 6	44759
04-CANNTAP-45	CANNULATED TAP 4.5mm (D)	I	Annex IX, Rule 6	44759
04-CANNTAP-50	CANNULATED TAP 5.0mm (D)	I	Annex IX, Rule 6	44759
04-CANNTAP-55	CANNULATED TAP 5.5mm (D)	I	Annex IX, Rule 6	44759
04-CANNTAP-60	CANNULATED TAP 6.0mm (D)	I	Annex IX, Rule 6	44759
04-CANNTAP-65	CANNULATED TAP 6.5mm (D)	I	Annex IX, Rule 6	44759
04-CANNTAP-70	CANNULATED TAP 7.0mm (D)	I	Annex IX, Rule 6	44759
04-CANNTAP-75	CANNULATED TAP 7.5mm (D)	I	Annex IX, Rule 6	44759
04-CANNTAP-80	CANNULATED TAP 8.0mm (D)	I	Annex IX, Rule 6	44759
04-COMPRESSOR	COMPRESSOR	I	Annex IX, Rule 6	44759
04-CT-TUBE-R	COUNTER-TORQUE TUBE - REATTACHABLE EXTENDER	I	Annex IX, Rule 6	44759
04-CURVEHOLDER	CURVED ROD HOLDER	I	Annex IX, Rule 6	44759
04-DISTRACTOR	DISTRACTOR	I	Annex IX, Rule 6	44759
04-DRIVER-SLEEVE	STABILIZING SLEEVE	I	Annex IX, Rule 6	44759
04-FIXEDHOLDER	FIXED ROD HOLDER	I	Annex IX, Rule 6	44759
04-FIXHOLDER-SCREW	FIXED ROD HOLDER SCREW	I	Annex IX, Rule 6	44759
04-HEADADJUSTER	HEAD ADJUSTER/ROD PUSHER	I	Annex IX, Rule 6	44759
04-HEADFINDER	HEAD FINDER	I	Annex IX, Rule 6	44759
04-JAMCANN-08	PEDICLE TARGETING CANNULA 8 GAUGE	I	Annex IX, Rule 6	44759
04-JAMCANN-11	PEDICLE TARGETING CANNULA 11 GAUGE	I	Annex IX, Rule 6	44759
04-JAMDEPTH-08	PEDICLE TARGETING DEPTH GAGE 8 GAUGE	I	Annex IX, Rule 6	44759
04-JAMDEPTH-11	PEDICLE TARGETING DEPTH GAGE 11 GAUGE	I	Annex IX, Rule 6	44759

Part Number	Component Name	Class	Rule	GMDN
04-JAMTROC AR-08	PEDICLE TARGETING TROC AR 8 GAUGE	I	Annex IX, Rule 6	44759
04-JAMTROC AR-11	PEDICLE TARGETING TROC AR 11 GAUGE	I	Annex IX, Rule 6	44759
04-MALLET	MALLET	I	Annex IX, Rule 6	44759
04-PT-DEPT H-08	TARGETING NEEDLE DEPT H GAGE 8 GAUGE	I	Annex IX, Rule 6	44759
04-PT-DEPT H-11	TARGETING NEEDLE DEPT H GAGE 11 GAUGE	I	Annex IX, Rule 6	44759
04-RDSETSC R-INS	REDUCING SET SCREW IN SERTER	I	Annex IX, Rule 6	44759
04-REATTACH -EXT	RE-ATTACHABLE SCREW EXTENDER	I	Annex IX, Rule 6	44759
04-REDUCE -INS-HNDL	HANDLE, REDUCING SET SCREW IN SERTER	I	Annex IX, Rule 6	44759
04-REDUCER	ROD REDUCER	I	Annex IX, Rule 6	44759
04-RODCALIP ER	ROD CALIPER	I	Annex IX, Rule 6	44759
04-RODRETR IEVE	ROD RETRIEVER	I	Annex IX, Rule 6	44759
04-SEQDILAT OR-1	SEQUENTIAL DILATOR 1	I	Annex IX, Rule 6	44759
04-SEQDILAT OR-2	SEQUENTIAL DILATOR 2	I	Annex IX, Rule 6	44759
04-SEQDILAT OR-3	SEQUENTIAL DILATOR 3	I	Annex IX, Rule 6	44759
04-SEQDILAT OR-4	SEQUENTIAL DILATOR 4	I	Annex IX, Rule 6	44759
04-SETSCREW IN S	SET SCREW IN SERTER	I	Annex IX, Rule 6	44759
04-TAP-40	CANNULATED TAP, BLUNT 4.0 mm (D)	I	Annex IX, Rule 6	44759
04-TAP-45	CANNULATED TAP, BLUNT 4.5 mm (D)	I	Annex IX, Rule 6	44759
04-TAP-50	CANNULATED TAP, BLUNT 5.0 mm (D)	I	Annex IX, Rule 6	44759
04-TAP-55	CANNULATED TAP, BLUNT 5.5 mm (D)	I	Annex IX, Rule 6	44759
04-TAP-60	CANNULATED TAP, BLUNT 6.0 mm (D)	I	Annex IX, Rule 6	44759

Part Number	Component Name	Class	Rule	GMDN
04-TAP-65	CANNULATED TAP, BLUNT 6.5 mm (D)	I	Annex IX, Rule 6	44759
04-TAP-70	CANNULATED TAP, BLUNT 7.0 mm (D)	I	Annex IX, Rule 6	44759
04-TAP-75	CANNULATED TAP, BLUNT 7.5 mm (D)	I	Annex IX, Rule 6	44759
04-TAP-80	CANNULATED TAP, BLUNT 8.0 mm (D)	I	Annex IX, Rule 6	44759
04-TAP-85	CANNULATED TAP, BLUNT 8.5 mm (D)	I	Annex IX, Rule 6	44759
04-THRDRED-HANDLE	HANDLE, THREADED REDUCER	I	Annex IX, Rule 6	44759
04-WEDGE	MUSCLE SPLITTING WEDGE	I	Annex IX, Rule 6	44759
05-CT-TUBE	COUNTER-TORQUE TUBE, STANDARD	I	Annex IX, Rule 6	44759
05-DILATOR	INITIAL DILATOR	I	Annex IX, Rule 6	44759
05-EXT-REM-PLIER	EXTENSION REMOVAL PLIERS	I	Annex IX, Rule 6	44759
05-FINALDRIVER	FINAL DRIVER	I	Annex IX, Rule 6	44759
05-FINALDRIVER 2	FINAL DRIVER	I	Annex IX, Rule 6	44759
05-PIVOTHOLDER	PIVOTING ROD HOLDER	I	Annex IX, Rule 6	44759
05-SCREW-INS-CL	THREADED SCREW INSERTER	I	Annex IX, Rule 6	44759
05-SCREW-INS-CL2	THREADED SCREW INSERTER	I	Annex IX, Rule 6	44759
05-SCREW-INS-THRD	SCREW INSERTER, THREADED	I	Annex IX, Rule 6	44759
05-SCREW-INS-THRD2	SCREW INSERTER, THREADED	I	Annex IX, Rule 6	44759
05-SCREWSLEEVE	SCREW SLEEVE	I	Annex IX, Rule 6	44759
05-SIMPLEDRIVER	SCREW INSERTER	I	Annex IX, Rule 6	44759
05-SIMPLEDRIVER 2	SCREW INSERTER	I	Annex IX, Rule 6	44759
05-TAPSLEEVE	TAP SLEEVE	I	Annex IX, Rule 6	44759
05-THRDREDUCER	THREADED ROD REDUCER	I	Annex IX, Rule 6	44759
04-GWTUBE	GUIDEWIRE TUBE	I	Annex IX, Rule 1	44759

Part Number	Component Name	Class	Rule	GMDN
04-GWCAP	GUIDEWIRE CAP	I	Annex IX, Rule 1	44759
04-45SCREW-CDY (432-735)	SCREW CADDY 4.5mm (D)	I	Annex IX, Rule 1	13730
04-55SCREW-CDY (432-736)		I	Annex IX, Rule 1	13730
04-65SCREW-CDY (432-737)	SCREW CADDY 6.5mm (D)	I	Annex IX, Rule 1	13730
		I	Annex IX, Rule 1	13730
04-75SCREW-CDY (432-738)	SCREW CADDY 7.5mm (D)	I	Annex IX, Rule 1	13730
		I	Annex IX, Rule 1	13730
04-85SCREW-CDY (432-739)	SCREW CADDY 8.5mm (D)	I	Annex IX, Rule 1	13730
		I	Annex IX, Rule 1	13730
04-95SCREW-CDY (433-646)	SCREW CADDY 9.5mm (D)	I	Annex IX, Rule 1	13730
		I	Annex IX, Rule 1	13730
04-LGROD-CDY (432-630)	LARGE ROD CADDY	I	Annex IX, Rule 1	13730
		I	Annex IX, Rule 1	13730
04-LGROD-CDY-ST (433-904)	STRAIGHT LARGE ROD CADDY 90mm - 150mm	I	Annex IX, Rule 1	13730
		I	Annex IX, Rule 1	13730
04-LID-RC-LG (433-049)	LARGE ROD CADDY LID REPLACEMENT	I	Annex IX, Rule 1	13730
		I	Annex IX, Rule 1	13730
04-LID-RC-LG-ST	Rod Caddy Lid Replacement Large, Straight	I	Annex IX, Rule 1	13730
04-LID-RC-LNG	Rod Caddy Lid Replacement Long, Pre-Bent	I	Annex IX, Rule 1	13730
04-LID-RC-LNG-ST	Rod Caddy Lid Replacement Long, Straight	I	Annex IX, Rule 1	13730
04-LID-RC-SM (433-048)	SMALL ROD CADDY LID REPLACEMENT	I	Annex IX, Rule 1	13730
		I	Annex IX, Rule 1	13730
04-LID-RC-SM-ST	Rod Caddy Lid Replacement Small, Straight	I	Annex IX, Rule 1	13730
04-LID-SC (433-047)	SCREW CADDY LID REPLACEMENT	I	Annex IX, Rule 1	13730
		I	Annex IX, Rule 1	13730

Part Number	Component Name	Class	Rule	GMDN
04-LONGROD- CDY	PRE-BENT LONG ROD CADDY 160mm- 190mm	I	Annex IX, Rule 1	13730
(433-902)		I	Annex IX, Rule 1	13730
04-LONGROD- CDY-ST	STRAIGHT LONG ROD CADDY 200mm - 250mm	I	Annex IX, Rule 1	13730
(433-905)		I	Annex IX, Rule 1	13730
04- SETSCREW- CDY	SET SCREW CADDY	I	Annex IX, Rule 1	13730
(433-064)		I	Annex IX, Rule 1	13730
04-SLMIS- 45AUX-EMP	4.5mm AUXILIARY CASE, EMPTY	I	Annex IX, Rule 1	13730
04-SLMIS- 85AUX-EMP	8.5mm AUXILIARY CASE, EMPTY	I	Annex IX, Rule 1	13730
04-SLMIS-IMP- EMP	IMPLANT CASE, EMPTY	I	Annex IX, Rule 1	13730
04-SLMIS-INS- 1-EMP	INSTRUMENT CASE 1, EMPTY	I	Annex IX, Rule 1	13730
04-SLMIS-INS- 2-EMP	INSTRUMENT CASE 2, EMPTY	I	Annex IX, Rule 1	13730
04-SMROD- CDY	SMALL ROD CADDY	I	Annex IX, Rule 1	13730
(432-629)		I	Annex IX, Rule 1	13730
04-SMROD- CDY-ST	STRAIGHT SMALL ROD CADDY 35mm - 80mm	I	Annex IX, Rule 1	13730
(433-903)		I	Annex IX, Rule 1	13730
51-CSFINDER	MIS CURVED PEDICLE FINDER	I	Annex IX, Rule 6	44759
51- AUTODILATE	MIS COLLAPSABLE DILATOR	I	Annex IX, Rule 6	44759
51-JAMSHIDI	MIS HARD BONE TOOL	I	Annex IX, Rule 6	44759
04- CANNDRILL	CANNULATED DRILL 3.8mm (D) X 55mm (L)	Ila	Annex IX, Rule 6	11332
51-K-WIRE	MIS, 50cm GUIDEWIRE, QTY 1	Ila	Annex IX, Rule 6	61467
51-GW-300- BLUNT	GUIDEWIRE, BLUNT TIP 1.5mm (D) x 300mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-300- BLUNT-SS	GUIDEWIRE, BLUNT TIP, SS 1.5mm (D) X 300mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-300- BLUNT-TH	GUIDEWIRE, BLUNT TIP, THREADED, SS 1.5mm (D) X 300 mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-300- DULL	GUIDEWIRE, DULL TIP 1.5mm (D) x 300mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-300- DULL-SS	GUIDEWIRE, DULL TIP, SS 1.5mm (D) X 300mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-300- SHARP	GUIDEWIRE, SHARP TIP 1.5mm (D) x 300mm (L)	Ila	Annex IX, Rule 6	61467

Part Number	Component Name	Class	Rule	GMDN
51-GW-300-SHARP-SS	GUIDEWIRE, SHARP TIP, SS 1.5mm (D) X 300mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-300-SHARP-TH	GUIDEWIRE, SHARP TIP, THREADED, SS 1.5mm (D) X 300mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-350-BLUNT	GUIDEWIRE, BLUNT TIP 1.5mm (D) x 350mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-350-BLUNT-SS	GUIDEWIRE, BLUNT TIP, SS 1.5mm (D) X 350mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-350-BLUNT-TH	GUIDEWIRE, BLUNT TIP, THREADED, SS 1.5mm (D) X 350mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-350-DULL	GUIDEWIRE, DULL TIP 1.5mm (D) x 350mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-350-DULL-SS	GUIDEWIRE, DULL TIP, SS 1.5mm (D) X 350mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-350-SHARP	GUIDEWIRE, SHARP TIP 1.5mm (D) x 350mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-350-SHARP-SS	GUIDEWIRE, SHARP TIP, SS 1.5mm (D) X 350mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-350-SHARP-TH	GUIDEWIRE, SHARP TIP, THREADED, SS 1.5mm (D) X 350 mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-400-BLUNT	GUIDEWIRE, BLUNT TIP 1.5mm (D) x 400mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-400-BLUNT-SS	GUIDEWIRE, BLUNT TIP, SS 1.5mm (D) X 400mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-400-BLUNT-TH	GUIDEWIRE, BLUNT TIP, THREADED, SS 1.5mm (D) X 400 mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-400-DULL	GUIDEWIRE, DULL TIP 1.5mm (D) x 400mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-400-DULL-SS	GUIDEWIRE, DULL TIP, SS 1.5mm (D) X 400mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-400-SHARP	GUIDEWIRE, SHARP TIP 1.5mm (D) x 400mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-400-SHARP-SS	GUIDEWIRE, SHARP TIP, SS 1.5mm (D) X 400mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-400-SHARP-TH	GUIDEWIRE, SHARP TIP, THREADED, SS 1.5mm (D) X 400mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-450-BLUNT	GUIDEWIRE, BLUNT TIP 1.5mm (D) x 450mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-450-BLUNT-SS	GUIDEWIRE, BLUNT TIP, SS 1.5mm (D) X 450mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-450-BLUNT-TH	GUIDEWIRE, BLUNT TIP, THREADED, SS 1.5mm (D) X 450mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-450-DULL	GUIDEWIRE, DULL TIP 1.5mm (D) x 450mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-450-DULL-SS	GUIDEWIRE, DULL TIP, SS 1.5mm (D) X 450mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-450-SHARP	GUIDEWIRE, SHARP TIP 1.5mm (D) x 450mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-450-SHARP-SS	GUIDEWIRE, SHARP TIP, SS 1.5mm (D) X 450mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-450-SHARP-TH	GUIDEWIRE, SHARP TIP, THREADED, SS 1.5mm (D) X 450 mm (L)	Ila	Annex IX, Rule 6	61467

Part Number	Component Name	Class	Rule	GMDN
51-GW-500-BLUNT	GUIDEWIRE, BLUNT TIP 1.5mm (D) x 500mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-500-BLUNT-SS	GUIDEWIRE, BLUNT TIP, SS 1.5mm (D) X 500mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-500-BLUNT-TH	GUIDEWIRE, BLUNT TIP, THREADED, SS 1.5mm (D) X 500 mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-500-DULL	GUIDEWIRE, DULL TIP 1.5mm (D) x 500mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-500-DULL-SS	GUIDEWIRE, DULL TIP, SS 1.5mm (D) X 500mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-500-SHARP	GUIDEWIRE, SHARP TIP 1.5mm (D) x 500mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-500-SHARP-SS	GUIDEWIRE, SHARP TIP, SS 1.5mm (D) X 500mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-500-SHARP-TH	GUIDEWIRE, SHARP TIP, THREADED, SS 1.5mm (D) X 500mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-550-BLUNT	GUIDEWIRE, BLUNT TIP 1.5mm (D) x 550mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-550-BLUNT-SS	GUIDEWIRE, BLUNT TIP, SS 1.5mm (D) X 550mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-550-BLUNT-TH	GUIDEWIRE, BLUNT TIP, THREADED, SS 1.5mm (D) X 550mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-550-DULL	GUIDEWIRE, DULL TIP 1.5mm (D) x 550mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-550-DULL-SS	GUIDEWIRE, DULL TIP, SS 1.5mm (D) X 550mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-550-SHARP	GUIDEWIRE, SHARP TIP 1.5mm (D) x 550mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-550-SHARP-SS	GUIDEWIRE, SHARP TIP, SS 1.5mm (D) X 550mm (L)	Ila	Annex IX, Rule 6	61467
51-GW-550-SHARP-TH	GUIDEWIRE, SHARP TIP, THREADED, SS 1.5mm (D) X 550 mm (L)	Ila	Annex IX, Rule 6	61467

- End of TF-M017[7] DOC -



Declaration of Conformity

No. TF-M005-DOC Rev [11] per DCN 138322

<u>Manufacturer</u>	<u>EU Authorized Representative</u>	<u>Notified Body</u>
Pioneer Surgical Technology, Inc. 375 River Park Circle Marquette, Michigan 49855 USA	Tutogen Medical GmbH (an RTI Surgical, Inc. company) Industriestrasse 6 91077 Neunkirchen am Brand Germany	BSI Say Building, John M. Keynesplein 9 1066 EP Amsterdam The Netherlands Number 2797

Object of the Declaration: Streamline® TL Spinal Fixation System

Reference attached list of product codes (20 pages).

GMDN Code(s) and Term(s):

- 61325: Bone-screw internal spinal fixation system, non-sterile
- 47862: Orthopaedic feeler
- 47870: Orthopaedic fixation implant alignment tool
- 13180: Orthopaedic prosthesis implantation instrument, reusable
- 17507: Bone tap, reusable
- 33968: Surgical screwdriver, reusable
- 44804: Orthopaedic rod reducer
- 47554: Orthopaedic counter-torque/rod-pushing instrument
- 62591: Implant handling forceps, alligator
- 47831: Orthopaedic implantation sleeve, reusable
- 47829: Surgical instrument handle, non-torque-limiting
- 44795: Manual orthopaedic bender, reusable
- 47807: Orthopaedic implant/trial-implant holder, reusable
- 13730: Sterilization container
- 47830: Surgical instrument handle, torque-limiting
- 46479: Surgical implant template, reusable
- 15275: Bone awl
- 44805: Orthopaedic implantable-device cutter

Classification in accordance with Annex IX, Rules 8, 6 and 1 of MDD 93/42/EEC as amended by 2007/47/EC: *Class IIb per Rule 8, Class I per Rule 6 and Rule 1*

The object of the declaration described above is in conformity with the requirements of the following documents, standards, and/or requirements:

<u>Documents No.</u>	<u>Title</u>	<u>Edition/Date of issue</u>
TF-M005	Streamline® TL Spinal Fixation System	Revision 11 per DCN 138322

Conformity assessment procedure performed & date, and certificate(s) issued:

Classification Declaration

- I According to Annex VII of the European Medical Devices Directive 93/42 EEC, as amended by 2007/47/EC, we hereby declare the above listed products meet the provisions of Medical Devices Directive.
- IIb We hereby declare that the above-mentioned devices comply with the Medical Devices (Amendment) Regulations 2008 No. 2936 transposing European Medical Devices Directive 93/42/EEC as amended by 2007/47/EC. The applicable provisions are Annex II.3 for a full quality assurance system (CE 52820).

This DoC is issued under the sole responsibility of manufacturer.

Limitation on the validity of this DoC: none

Signature 

Date: 30 JULY 2020

Name: Christine Thomas

Title: Vice President, Regulatory and Clinical Affairs

For and on behalf of Pioneer Surgical Technology, Inc.

Country of Issue: United States of America

*No. TF-M005-DOC Rev [11] per DCN 138322 Streamline® TL Spinal Fixation System
Attachment Pages:*

Product Code	DESCRIPTION	Class	Rule	GMDN
01-CPRC-55	CLOSED PARALLEL ROD CONNECTOR 5.5MM (D) X 5.5MM (D)	IIb	Annex IX, Rule 8	61325
01-FX-45-20	PEDICLE SCREW, FIXED 4.5MM (D) X 20MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-45-25	PEDICLE SCREW, FIXED 4.5MM (D) X 25MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-45-30	PEDICLE SCREW, FIXED 4.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-45-35	PEDICLE SCREW, FIXED 4.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-45-40	PEDICLE SCREW, FIXED 4.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-45-45	PEDICLE SCREW, FIXED 4.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-55-30	PEDICLE SCREW, FIXED 5.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-55-35	PEDICLE SCREW, FIXED 5.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-55-40	PEDICLE SCREW, FIXED 5.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-55-45	PEDICLE SCREW, FIXED 5.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-55-50	PEDICLE SCREW, FIXED 5.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-55-55	PEDICLE SCREW, FIXED 5.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-55-60	PEDICLE SCREW, FIXED 5.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-65-100	PEDICLE SCREW, FIXED 6.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-65-30	PEDICLE SCREW, FIXED 6.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-65-35	PEDICLE SCREW, FIXED 6.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-65-40	PEDICLE SCREW, FIXED 6.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-65-45	PEDICLE SCREW, FIXED 6.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-65-50	PEDICLE SCREW, FIXED 6.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-65-55	PEDICLE SCREW, FIXED 6.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-65-60	PEDICLE SCREW, FIXED 6.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-65-65	PEDICLE SCREW, FIXED 6.5MM (D) X 65MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-65-70	PEDICLE SCREW, FIXED 6.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-65-75	PEDICLE SCREW, FIXED 6.5MM (D) X 75MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-65-80	PEDICLE SCREW, FIXED 6.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-65-85	PEDICLE SCREW, FIXED 6.5MM (D) X 85MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-65-90	PEDICLE SCREW, FIXED 6.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-65-95	PEDICLE SCREW, FIXED 6.5MM (D) X 95MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-75-100	PEDICLE SCREW, FIXED 7.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-75-30	PEDICLE SCREW, FIXED 7.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-75-35	PEDICLE SCREW, FIXED 7.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-75-40	PEDICLE SCREW, FIXED 7.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-75-45	PEDICLE SCREW, FIXED 7.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-75-50	PEDICLE SCREW, FIXED 7.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-75-55	PEDICLE SCREW, FIXED 7.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-75-60	PEDICLE SCREW, FIXED 7.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-75-65	PEDICLE SCREW, FIXED 7.5MM (D) X 65MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-75-70	PEDICLE SCREW, FIXED 7.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-75-75	PEDICLE SCREW, FIXED 7.5MM (D) X 75MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-75-80	PEDICLE SCREW, FIXED 7.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-75-85	PEDICLE SCREW, FIXED 7.5MM (D) X 85MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-75-90	PEDICLE SCREW, FIXED 7.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-75-95	PEDICLE SCREW, FIXED 7.5MM (D) X 95MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-85-100	PEDICLE SCREW, FIXED 8.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-85-30	PEDICLE SCREW, FIXED 8.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-85-35	PEDICLE SCREW, FIXED 8.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325

Product Code	DESCRIPTION	Class	Rule	GMDN
01-FX-85-40	PEDICLE SCREW, FIXED 8.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-85-45	PEDICLE SCREW, FIXED 8.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-85-50	PEDICLE SCREW, FIXED 8.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-85-55	PEDICLE SCREW, FIXED 8.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-85-60	PEDICLE SCREW, FIXED 8.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-85-65	PEDICLE SCREW, FIXED 8.5MM (D) X 65MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-85-70	PEDICLE SCREW, FIXED 8.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-85-75	PEDICLE SCREW, FIXED 8.5MM (D) X 75MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-85-80	PEDICLE SCREW, FIXED 8.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-85-85	PEDICLE SCREW, FIXED 8.5MM (D) X 85MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-85-90	PEDICLE SCREW, FIXED 8.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-85-95	PEDICLE SCREW, FIXED 8.5MM (D) X 95MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-95-100	PEDICLE SCREW, FIXED 9.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-95-40	PEDICLE SCREW, FIXED 9.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-95-45	PEDICLE SCREW, FIXED 9.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-95-50	PEDICLE SCREW, FIXED 9.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-95-55	PEDICLE SCREW, FIXED 9.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-95-60	PEDICLE SCREW, FIXED 9.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-95-70	PEDICLE SCREW, FIXED 9.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-95-80	PEDICLE SCREW, FIXED 9.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-FX-95-90	PEDICLE SCREW, FIXED 9.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-FXL-16	FIXED CROSSLINK, OUTBOARD LOCKING 16MM	IIb	Annex IX, Rule 8	61325
01-FXL-19	FIXED CROSSLINK, OUTBOARD LOCKING 19MM	IIb	Annex IX, Rule 8	61325
01-FXL-22	FIXED CROSSLINK, OUTBOARD LOCKING 22MM	IIb	Annex IX, Rule 8	61325
01-FXL-25	FIXED CROSSLINK, OUTBOARD LOCKING 25MM	IIb	Annex IX, Rule 8	61325
01-FXL-28	FIXED CROSSLINK, OUTBOARD LOCKING 28MM	IIb	Annex IX, Rule 8	61325
01-FXL-31	FIXED CROSSLINK, OUTBOARD LOCKING 31MM	IIb	Annex IX, Rule 8	61325
01-FXL-34	FIXED CROSSLINK, INBOARD LOCKING 34MM	IIb	Annex IX, Rule 8	61325
01-FXL-37	FIXED CROSSLINK, INBOARD LOCKING 37MM	IIb	Annex IX, Rule 8	61325
01-FXL-40	FIXED CROSSLINK, INBOARD LOCKING 40MM	IIb	Annex IX, Rule 8	61325
01-LOCO-15	LATERAL OFFSET CONNECTOR 5.5MM(D) X 15MM (L)	IIb	Annex IX, Rule 8	61325
01-LOCO-20	LATERAL OFFSET CONNECTOR 5.5MM(D) X 20MM (L)	IIb	Annex IX, Rule 8	61325
01-LOCO-30	LATERAL OFFSET CONNECTOR 5.5MM(D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-OPRC-55	OPEN PARALLEL ROD CONNECTOR 5.5MM (D) X 5.5MM (D)	IIb	Annex IX, Rule 8	61325
01-PA-100-100	PEDICLE SCREW, POLYAXIAL 10.0MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-100-35	PEDICLE SCREW, POLYAXIAL 10.0MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-100-40	PEDICLE SCREW, POLYAXIAL 10.0MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-100-45	PEDICLE SCREW, POLYAXIAL 10.0MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-100-50	PEDICLE SCREW, POLYAXIAL 10.0MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-100-55	PEDICLE SCREW, POLYAXIAL 10.0MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-100-60	PEDICLE SCREW, POLYAXIAL 10.0MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-100-70	PEDICLE SCREW, POLYAXIAL 10.0MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-100-80	PEDICLE SCREW, POLYAXIAL 10.0MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-100-90	PEDICLE SCREW, POLYAXIAL 10.0MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-105-100	PEDICLE SCREW, POLYAXIAL 10.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-105-35	PEDICLE SCREW, POLYAXIAL 10.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-105-40	PEDICLE SCREW, POLYAXIAL 10.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-105-45	PEDICLE SCREW, POLYAXIAL 10.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-105-50	PEDICLE SCREW, POLYAXIAL 10.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-105-55	PEDICLE SCREW, POLYAXIAL 10.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325

Product Code	DESCRIPTION	Class	Rule	GMDN
01-PA-85-35	PEDICLE SCREW, POLYAXIAL 8.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-85-40	PEDICLE SCREW, POLYAXIAL 8.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-85-45	PEDICLE SCREW, POLYAXIAL 8.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-85-50	PEDICLE SCREW, POLYAXIAL 8.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-85-55	PEDICLE SCREW, POLYAXIAL 8.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-85-60	PEDICLE SCREW, POLYAXIAL 8.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-85-65	PEDICLE SCREW, POLYAXIAL 8.5MM (D) X 65MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-85-70	PEDICLE SCREW, POLYAXIAL 8.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-85-75	PEDICLE SCREW, POLYAXIAL 8.5MM (D) X 75MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-85-80	PEDICLE SCREW, POLYAXIAL 8.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-85-85	PEDICLE SCREW, POLYAXIAL 8.5MM (D) X 85MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-85-90	PEDICLE SCREW, POLYAXIAL 8.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-85-95	PEDICLE SCREW, POLYAXIAL 8.5MM (D) X 95MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-90-100	PEDICLE SCREW, POLYAXIAL 9.0MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-90-20	PEDICLE SCREW, POLYAXIAL 9.0MM (D) X 20MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-90-25	PEDICLE SCREW, POLYAXIAL 9.0MM (D) X 25MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-90-30	PEDICLE SCREW, POLYAXIAL 9.0MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-90-35	PEDICLE SCREW, POLYAXIAL 9.0MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-90-40	PEDICLE SCREW, POLYAXIAL 9.0MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-90-45	PEDICLE SCREW, POLYAXIAL 9.0MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-90-50	PEDICLE SCREW, POLYAXIAL 9.0MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-90-55	PEDICLE SCREW, POLYAXIAL 9.0MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-90-60	PEDICLE SCREW, POLYAXIAL 9.0MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-90-70	PEDICLE SCREW, POLYAXIAL 9.0MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-90-80	PEDICLE SCREW, POLYAXIAL 9.0MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-90-90	PEDICLE SCREW, POLYAXIAL 9.0MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-95-100	PEDICLE SCREW, POLYAXIAL 9.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-95-35	PEDICLE SCREW, POLYAXIAL 9.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-95-40	PEDICLE SCREW, POLYAXIAL 9.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-95-45	PEDICLE SCREW, POLYAXIAL 9.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-95-50	PEDICLE SCREW, POLYAXIAL 9.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-95-55	PEDICLE SCREW, POLYAXIAL 9.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-95-60	PEDICLE SCREW, POLYAXIAL 9.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-95-70	PEDICLE SCREW, POLYAXIAL 9.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-95-80	PEDICLE SCREW, POLYAXIAL 9.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-95-90	PEDICLE SCREW, POLYAXIAL 9.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-45-20	PEDICLE SCREW, POLYAXIAL, CANNULATED 4.5MM (D) X 20MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-45-25	PEDICLE SCREW, POLYAXIAL, CANNULATED 4.5MM (D) X 25MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-45-30	PEDICLE SCREW, POLYAXIAL, CANNULATED 4.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-45-35	PEDICLE SCREW, POLYAXIAL, CANNULATED 4.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-45-40	PEDICLE SCREW, POLYAXIAL, CANNULATED 4.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-45-45	PEDICLE SCREW, POLYAXIAL, CANNULATED 4.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-55-30	PEDICLE SCREW, POLYAXIAL, CANNULATED 5.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325

Product Code	DESCRIPTION	Class	Rule	GMDN
01-PA-C-55-35	PEDICLE SCREW, POLYAXIAL, CANNULATED 5.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-55-40	PEDICLE SCREW, POLYAXIAL, CANNULATED 5.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-55-45	PEDICLE SCREW, POLYAXIAL, CANNULATED 5.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-55-50	PEDICLE SCREW, POLYAXIAL, CANNULATED 5.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-55-55	PEDICLE SCREW, POLYAXIAL, CANNULATED 5.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-55-60	PEDICLE SCREW, POLYAXIAL, CANNULATED 5.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-65-100	PEDICLE SCREW, POLYAXIAL, CANNULATED 6.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-65-30	PEDICLE SCREW, POLYAXIAL, CANNULATED 6.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-65-35	PEDICLE SCREW, POLYAXIAL, CANNULATED 6.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-65-40	PEDICLE SCREW, POLYAXIAL, CANNULATED 6.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-65-45	PEDICLE SCREW, POLYAXIAL, CANNULATED 6.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-65-50	PEDICLE SCREW, POLYAXIAL, CANNULATED 6.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-65-55	PEDICLE SCREW, POLYAXIAL, CANNULATED 6.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-65-60	PEDICLE SCREW, POLYAXIAL, CANNULATED 6.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-65-65	PEDICLE SCREW, POLYAXIAL, CANNULATED 6.5MM (D) X 65MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-65-70	PEDICLE SCREW, POLYAXIAL, CANNULATED 6.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-65-75	PEDICLE SCREW, POLYAXIAL, CANNULATED 6.5MM (D) X 75MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-65-80	PEDICLE SCREW, POLYAXIAL, CANNULATED 6.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-65-85	PEDICLE SCREW, POLYAXIAL, CANNULATED 6.5MM (D) X 85MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-65-90	PEDICLE SCREW, POLYAXIAL, CANNULATED 6.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-65-95	PEDICLE SCREW, POLYAXIAL, CANNULATED 6.5MM (D) X 95MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-75-100	PEDICLE SCREW, POLYAXIAL, CANNULATED 7.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-75-30	PEDICLE SCREW, POLYAXIAL, CANNULATED 7.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-75-35	PEDICLE SCREW, POLYAXIAL, CANNULATED 7.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-75-40	PEDICLE SCREW, POLYAXIAL, CANNULATED 7.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-75-45	PEDICLE SCREW, POLYAXIAL, CANNULATED 7.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325

Product Code	DESCRIPTION	Class	Rule	GMDN
01-PA-C-75-50	PEDICLE SCREW, POLYAXIAL, CANNULATED 7.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-75-55	PEDICLE SCREW, POLYAXIAL, CANNULATED 7.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-75-60	PEDICLE SCREW, POLYAXIAL, CANNULATED 7.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-75-65	PEDICLE SCREW, POLYAXIAL, CANNULATED 7.5MM (D) X 65MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-75-70	PEDICLE SCREW, POLYAXIAL, CANNULATED 7.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-75-75	PEDICLE SCREW, POLYAXIAL, CANNULATED 7.5MM (D) X 75MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-75-80	PEDICLE SCREW, POLYAXIAL, CANNULATED 7.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-75-85	PEDICLE SCREW, POLYAXIAL, CANNULATED 7.5MM (D) X 85MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-75-90	PEDICLE SCREW, POLYAXIAL, CANNULATED 7.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-75-95	PEDICLE SCREW, POLYAXIAL, CANNULATED 7.5MM (D) X 95MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-85-100	PEDICLE SCREW, POLYAXIAL, CANNULATED 8.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-85-30	PEDICLE SCREW, POLYAXIAL, CANNULATED 8.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-85-35	PEDICLE SCREW, POLYAXIAL, CANNULATED 8.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-85-40	PEDICLE SCREW, POLYAXIAL, CANNULATED 8.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-85-45	PEDICLE SCREW, POLYAXIAL, CANNULATED 8.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-85-50	PEDICLE SCREW, POLYAXIAL, CANNULATED 8.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-85-55	PEDICLE SCREW, POLYAXIAL, CANNULATED 8.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-85-60	PEDICLE SCREW, POLYAXIAL, CANNULATED 8.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-85-65	PEDICLE SCREW, POLYAXIAL, CANNULATED 8.5MM (D) X 65MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-85-70	PEDICLE SCREW, POLYAXIAL, CANNULATED 8.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-85-75	PEDICLE SCREW, POLYAXIAL, CANNULATED 8.5MM (D) X 75MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-85-80	PEDICLE SCREW, POLYAXIAL, CANNULATED 8.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-85-85	PEDICLE SCREW, POLYAXIAL, CANNULATED 8.5MM (D) X 85MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-85-90	PEDICLE SCREW, POLYAXIAL, CANNULATED 8.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-85-95	PEDICLE SCREW, POLYAXIAL, CANNULATED 8.5MM (D) X 95MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-95-100	PEDICLE SCREW, POLYAXIAL, CANNULATED 9.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325

Product Code	DESCRIPTION	Class	Rule	GMDN
01-PA-C-95-40	PEDICLE SCREW, POLYAXIAL, CANNULATED 9.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-95-45	PEDICLE SCREW, POLYAXIAL, CANNULATED 9.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-95-50	PEDICLE SCREW, POLYAXIAL, CANNULATED 9.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-95-55	PEDICLE SCREW, POLYAXIAL, CANNULATED 9.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-95-60	PEDICLE SCREW, POLYAXIAL, CANNULATED 9.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-95-70	PEDICLE SCREW, POLYAXIAL, CANNULATED 9.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-95-80	PEDICLE SCREW, POLYAXIAL, CANNULATED 9.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-PA-C-95-90	PEDICLE SCREW, POLYAXIAL, CANNULATED 9.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-45-20	REDUCTION SCREW 4.5MM (D) X 20MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-45-25	REDUCTION SCREW 4.5MM (D) X 25MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-45-30	REDUCTION SCREW 4.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-45-35	REDUCTION SCREW 4.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-45-40	REDUCTION SCREW 4.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-45-45	REDUCTION SCREW 4.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-55-30	REDUCTION SCREW 5.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-55-35	REDUCTION SCREW 5.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-55-40	REDUCTION SCREW 5.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-55-45	REDUCTION SCREW 5.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-55-50	REDUCTION SCREW 5.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-55-55	REDUCTION SCREW 5.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-55-60	REDUCTION SCREW 5.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-65-100	REDUCTION SCREW 6.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-65-30	REDUCTION SCREW 6.5MM (D) X 30 MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-65-35	REDUCTION SCREW 6.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-65-40	REDUCTION SCREW 6.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-65-45	REDUCTION SCREW 6.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-65-50	REDUCTION SCREW 6.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-65-55	REDUCTION SCREW 6.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-65-60	REDUCTION SCREW 6.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-65-65	REDUCTION SCREW 6.5MM (D) X 65MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-65-70	REDUCTION SCREW 6.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-65-75	REDUCTION SCREW 6.5MM (D) X 75MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-65-80	REDUCTION SCREW 6.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-65-85	REDUCTION SCREW 6.5MM (D) X 85MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-65-90	REDUCTION SCREW 6.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-65-95	REDUCTION SCREW 6.5MM (D) X 95MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-75-100	REDUCTION SCREW 7.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-75-30	REDUCTION SCREW 7.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-75-35	REDUCTION SCREW 7.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-75-40	REDUCTION SCREW 7.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-75-45	REDUCTION SCREW 7.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-75-50	REDUCTION SCREW 7.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-75-55	REDUCTION SCREW 7.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325

Product Code	DESCRIPTION	Class	Rule	GMDN
01-RS-75-60	REDUCTION SCREW 7.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-75-65	REDUCTION SCREW 7.5MM (D) X 65MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-75-70	REDUCTION SCREW 7.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-75-75	REDUCTION SCREW 7.5MM (D) X 75MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-75-80	REDUCTION SCREW 7.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-75-85	REDUCTION SCREW 7.5MM (D) X 85MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-75-90	REDUCTION SCREW 7.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-75-95	REDUCTION SCREW 7.5MM (D) X 95MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-85-100	REDUCTION SCREW 8.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-85-30	REDUCTION SCREW 8.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-85-35	REDUCTION SCREW 8.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-85-40	REDUCTION SCREW 8.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-85-45	REDUCTION SCREW 8.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-85-50	REDUCTION SCREW 8.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-85-55	REDUCTION SCREW 8.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-85-60	REDUCTION SCREW 8.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-85-65	REDUCTION SCREW 8.5MM (D) X 65MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-85-70	REDUCTION SCREW 8.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-85-75	REDUCTION SCREW 8.5MM (D) X 75MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-85-80	REDUCTION SCREW 8.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-85-85	REDUCTION SCREW 8.5MM (D) X 85MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-85-90	REDUCTION SCREW 8.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-85-95	REDUCTION SCREW 8.5MM (D) X 95MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-95-100	REDUCTION SCREW 9.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-95-40	REDUCTION SCREW 9.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-95-45	REDUCTION SCREW 9.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-95-50	REDUCTION SCREW 9.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-95-55	REDUCTION SCREW 9.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-95-60	REDUCTION SCREW 9.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-95-70	REDUCTION SCREW 9.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-95-80	REDUCTION SCREW 9.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-95-90	REDUCTION SCREW 9.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-45-20	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 4.5MM (D) X 20MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-45-25	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 4.5MM (D) X 25MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-45-30	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 4.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-45-35	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 4.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-45-40	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 4.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-45-45	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 4.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-55-30	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 5.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-55-35	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 5.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-55-40	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 5.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325

Product Code	DESCRIPTION	Class	Rule	GMDN
01-RS-C-55-45	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 5.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-55-50	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 5.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-55-55	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 5.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-55-60	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 5.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-65-100	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 6.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-65-30	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 6.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-65-35	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 6.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-65-40	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 6.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-65-45	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 6.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-65-50	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 6.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-65-55	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 6.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-65-60	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 6.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-65-65	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 6.5MM (D) X 65MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-65-70	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 6.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-65-75	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 6.5MM (D) X 75MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-65-80	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 6.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-65-85	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 6.5MM (D) X 85MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-65-90	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 6.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-65-95	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 6.5MM (D) X 95MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-75-100	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 7.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-75-30	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 7.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-75-35	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 7.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-75-40	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 7.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-75-45	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 7.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-75-50	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 7.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-75-55	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 7.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325

Product Code	DESCRIPTION	Class	Rule	GMDN
01-RS-C-75-60	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 7.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-75-65	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 7.5MM (D) X 65MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-75-70	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 7.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-75-75	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 7.5MM (D) X 75MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-75-80	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 7.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-75-85	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 7.5MM (D) X 85MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-75-90	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 7.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-75-95	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 7.5MM (D) X 95MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-85-100	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 8.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-85-30	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 8.5MM (D) X 30MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-85-35	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 8.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-85-40	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 8.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-85-45	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 8.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-85-50	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 8.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-85-55	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 8.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-85-60	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 8.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-85-65	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 8.5MM (D) X 65MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-85-70	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 8.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-85-75	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 8.5MM (D) X 75MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-85-80	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 8.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-85-85	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 8.5MM (D) X 85MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-85-90	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 8.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-85-95	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 8.5MM (D) X 95MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-95-100	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 9.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-95-40	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 9.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-95-45	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 9.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325

Product Code	DESCRIPTION	Class	Rule	GMDN
01-RS-C-95-50	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 9.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-95-55	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 9.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-95-60	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 9.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-95-70	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 9.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-95-80	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 9.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
01-RS-C-95-90	PEDICLE SCREW, POLYAXIAL, CANNULATED, REDUCTION 9.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
01-SETSCREW	SET SCREW	IIb	Annex IX, Rule 8	61325
01-VXL-LG	VARIABLE CROSSLINK, LARGE 56MM - 85MM	IIb	Annex IX, Rule 8	61325
01-VXL-MED	VARIABLE CROSSLINK, MEDIUM 43MM - 58MM	IIb	Annex IX, Rule 8	61325
01-VXL-SM	VARIABLE CROSSLINK, SMALL 37MM - 45MM	IIb	Annex IX, Rule 8	61325
10-55-PR-100	ROD, PRE-BENT 5.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-105	ROD, PRE-BENT 5.5MM (D) X 105MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-110	ROD, PRE-BENT 5.5MM (D) X 110MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-115	ROD, PRE-BENT 5.5MM (D) X 115MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-120	ROD, PRE-BENT 5.5MM (D) X 120MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-125	ROD, PRE-BENT 5.5MM (D) X 125MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-130	ROD, PRE-BENT 5.5MM (D) X 130MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-135	ROD, PRE-BENT 5.5MM (D) X 135MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-140	ROD, PRE-BENT 5.5MM (D) X 140MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-145	ROD, PRE-BENT 5.5MM (D) X 145MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-150	ROD, PRE-BENT 5.5MM (D) X 150MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-35	ROD, PRE-BENT 5.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-40	ROD, PRE-BENT 5.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-45	ROD, PRE-BENT 5.5MM (D) X 45MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-50	ROD, PRE-BENT 5.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-55	ROD, PRE-BENT 5.5MM (D) X 55MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-60	ROD, PRE-BENT 5.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-65	ROD, PRE-BENT 5.5MM (D) X 65MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-70	ROD, PRE-BENT 5.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-75	ROD, PRE-BENT 5.5MM (D) X 75MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-80	ROD, PRE-BENT 5.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-85	ROD, PRE-BENT 5.5MM (D) X 85MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-90	ROD, PRE-BENT 5.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
10-55-PR-95	ROD, PRE-BENT 5.5MM (D) X 95MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RH-120	ROD, HEX END 5.5MM (D) X 120MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RH-150	ROD, HEX END 5.5MM (D) X 150MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RH-200	ROD, HEX END 5.5MM (D) X 200MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RH-400	ROD, HEX END 5.5MM (D) X 400MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RH-600	ROD, HEX END 5.5MM (D) X 600MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RHC-200	ROD, HEX END 5.5MM (D) X 200MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RHC-400	ROD, HEX END 5.5MM (D) X 400MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RHC-600	ROD, HEX END 5.5MM (D) X 600MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RR-100	ROD, STRAIGHT 5.5MM (D) X 100MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RR-110	ROD, STRAIGHT 5.5MM (D) X 110MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RR-35	ROD, STRAIGHT 5.5MM (D) X 35MM (L)	IIb	Annex IX, Rule 8	61325

Product Code	DESCRIPTION	Class	Rule	GMDN
10-55-RR-40	ROD, STRAIGHT 5.5MM (D) X 40MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RR-50	ROD, STRAIGHT 5.5MM (D) X 50MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RR-60	ROD, STRAIGHT 5.5MM (D) X 60MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RR-70	ROD, STRAIGHT 5.5MM (D) X 70MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RR-80	ROD, STRAIGHT 5.5MM (D) X 80MM (L)	IIb	Annex IX, Rule 8	61325
10-55-RR-90	ROD, STRAIGHT 5.5MM (D) X 90MM (L)	IIb	Annex IX, Rule 8	61325
02-105SCREW-CDY-E	10.5MM SCREW CADDY, EMPTY 10.5MM (D)	I	Annex IX, Rule 1	13730
02-115SCREW-CDY-E	11.5MM SCREW CADDY, EMPTY 11.5MM (D)	I	Annex IX, Rule 1	13730
02-45SCREW-CDY	SCREW CADDY 4.5MM (D)	I	Annex IX, Rule 1	13730
02-45SCREW-CDY-E	4.5MM CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-55SCREW-CDY	SCREW CADDY 5.5MM (D)	I	Annex IX, Rule 1	13730
02-55SCREW-CDY-E	5.5MM CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-65-L-SCREW-CDY	SCREW CADDY 6.5MM (D)	I	Annex IX, Rule 1	13730
02-65-L-SCRW-CDY-E	6.5MM LONG CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-65SCREW-CDY	SCREW CADDY 6.5MM (D)	I	Annex IX, Rule 1	13730
02-65SCREW-CDY-E	6.5MM CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-70SCREW-CDY	SCREW CADDY 7.0MM (D)	I	Annex IX, Rule 1	13730
02-70SCREW-CDY-E	7.0MM SCREW CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-75-L-SCREW-CDY	SCREW CADDY 7.5MM (D)	I	Annex IX, Rule 1	13730
02-75-L-SCRW-CDY-E	7.5MM LONG CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-75SCREW-CDY	SCREW CADDY 7.5MM (D)	I	Annex IX, Rule 1	13730
02-75SCREW-CDY-E	7.5MM CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-85-L-SCREW-CDY	SCREW CADDY 8.5MM (D)	I	Annex IX, Rule 1	13730
02-85-L-SCRW-CDY-E	8.5MM LONG CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-85SCREW-CDY	SCREW CADDY 8.5MM (D)	I	Annex IX, Rule 1	13730
02-85SCREW-CDY-E	8.5MM CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-95-L-SCREW-CDY	SCREW CADDY 9.5MM (D)	I	Annex IX, Rule 1	13730
02-95-L-SCRW-CDY-E	9.5MM LONG CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-95SCREW-CDY	SCREW CADDY 9.5MM (D)	I	Annex IX, Rule 1	13730

Product Code	DESCRIPTION	Class	Rule	GMDN
02-95SCREW-CDY-E	9.5MM CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-ADJUSTER	HEAD ADJUSTER	I	Annex IX, Rule 6	13180
02-BENDER-COR-L	CORONAL ROD BENDER LEFT	I	Annex IX, Rule 6	44795
02-BENDER-COR-R	CORONAL ROD BENDER RIGHT	I	Annex IX, Rule 6	44795
02-BENDER-FR	FRENCH ROD BENDER	I	Annex IX, Rule 6	44795
02-BENDER-INSITU-L	INSITU ROD BENDER LEFT	I	Annex IX, Rule 6	44795
02-BENDER-INSITU-R	INSITU ROD BENDER RIGHT	I	Annex IX, Rule 6	44795
02-CASE-DEF-EMPTY1	INSTRUMENT CASE 1 EMPTY	I	Annex IX, Rule 1	13730
02-CASE-DEF-EMPTY2	INSTRUMENT CASE 2 EMPTY	I	Annex IX, Rule 1	13730
02-CASE-DLBASE	DOUBLE LAYER CASE BASE	I	Annex IX, Rule 1	13730
02-CASE-IMPTAG	IMPLANT CASE TAG	I	Annex IX, Rule 1	13730
02-CASE-IMPTRAY-1	IMPLANT TOP TRAY	I	Annex IX, Rule 1	13730
02-CASE-IMPTRAY-2	IMPLANT BOTTOM TRAY	I	Annex IX, Rule 1	13730
02-CASE-INSTAG	INSTRUMENT CASE TAG	I	Annex IX, Rule 1	13730
02-CASE-INSTRAY-1	INSTRUMENT TOP TRAY	I	Annex IX, Rule 1	13730
02-CASE-INSTRAY-2	INSTRUMENT MIDDLE TRAY	I	Annex IX, Rule 1	13730
02-CASE-INSTRAY-3	INSTRUMENT BOTTOM TRAY	I	Annex IX, Rule 1	13730
02-CASE-LID	CASE LID	I	Annex IX, Rule 1	13730
02-CASE-SLBASE	SINGLE LAYER CASE BASE	I	Annex IX, Rule 1	13730
02-CASE-TLBASE	TRIPLE LAYER CASE BASE	I	Annex IX, Rule 1	13730
02-CASE-TRAYMAT	TRAY MAT	I	Annex IX, Rule 1	13730
02-CASE-XLNKTAG	CROSSLINK CASE TAG	I	Annex IX, Rule 1	13730
02-CASE-XLNKTRAY-1	CROSSLINK TRAY	I	Annex IX, Rule 1	13730
02-C-FINDER-L	PEDICLE FINDER CURVED, LONG	I	Annex IX, Rule 6	47862
02-C-FINDER-T	PEDICLE FINDER CURVED, THORACIC	I	Annex IX, Rule 6	47862
02-COMPRESSOR	MODULAR COMPRESSOR LONG	I	Annex IX, Rule 6	47870
02-COMPTIP-O-L	COMPRESSOR TIP OFFSET, LEFT	I	Annex IX, Rule 6	47870
02-COMPTIP-O-R	COMPRESSOR TIP OFFSET, RIGHT	I	Annex IX, Rule 6	47870

Product Code	DESCRIPTION	Class	Rule	GMDN
02-COMPTIP-S-L	COMPRESSOR TIP STANDARD, LEFT	I	Annex IX, Rule 6	47870
02-COMPTIP-S-R	COMPRESSOR TIP STANDARD, RIGHT	I	Annex IX, Rule 6	47870
02-CONNECT-BAR-100	CONNECTOR BAR 100MM	I	Annex IX, Rule 6	13180
02-CONNECT-BAR-150	CONNECTOR BAR 150MM	I	Annex IX, Rule 6	13180
02-CONNECT-BAR-200	CONNECTOR BAR 200MM	I	Annex IX, Rule 6	13180
02-CONNECT-BAR-250	CONNECTOR BAR 250MM	I	Annex IX, Rule 6	13180
02-CONNECT-BAR-300	CONNECTOR BAR 300MM	I	Annex IX, Rule 6	13180
02-CONNECT-BAR-350	CONNECTOR BAR 350MM	I	Annex IX, Rule 6	13180
02-CONNECT-BAR-400	CONNECTOR BAR 400MM	I	Annex IX, Rule 6	13180
02-CONNECT-C	TOWER CONNECTOR CENTER	I	Annex IX, Rule 6	13180
02-CONNECT-L	TOWER CONNECTOR LEFT	I	Annex IX, Rule 6	13180
02-CONNECT-R	TOWER CONNECTOR RIGHT	I	Annex IX, Rule 6	13180
02-C-TAP-40	CANNULATED TAP 4.0 MM (D)	I	Annex IX, Rule 6	17507
02-C-TAP-45	CANNULATED TAP 4.5 MM (D)	I	Annex IX, Rule 6	17507
02-C-TAP-55	CANNULATED TAP 5.5 MM (D)	I	Annex IX, Rule 6	17507
02-C-TAP-65	CANNULATED TAP 6.5 MM (D)	I	Annex IX, Rule 6	17507
02-C-TAP-75	CANNULATED TAP 7.5 MM (D)	I	Annex IX, Rule 6	17507
02-C-TAP-85	CANNULATED TAP 8.5 MM (D)	I	Annex IX, Rule 6	17507
02-C-TORQUE	COUNTER TORQUE HANDLE	I	Annex IX, Rule 6	47554
02-DEFORM-CASE1-E	INSTRUMENT CASE, EMPTY	I	Annex IX, Rule 1	13730
02-DEFORM-CASE2-E	INSTRUMENT CASE, EMPTY	I	Annex IX, Rule 1	13730
02-DEROTATOR	DEROTATION TOWER	I	Annex IX, Rule 6	47807
02-EXP-IMP-CASE-E	IMPLANT CASE, EMPTY	I	Annex IX, Rule 1	13730
02-EXP-INS-CASE-E	INSTRUMENT CASE, EMPTY	I	Annex IX, Rule 1	13730
02-FINALDRIVER	FINAL DRIVER	I	Annex IX, Rule 6	33968
02-FX-45CDY-E	4.5MM SCREW CADDY, FIXED, EMPTY	I	Annex IX, Rule 1	13730
02-FX-55CDY-E	5.5MM SCREW CADDY, FIXED, EMPTY	I	Annex IX, Rule 1	13730
02-FX-65CDY-E	6.5MM SCREW CADDY, FIXED, EMPTY	I	Annex IX, Rule 1	13730
02-FX-75CDY-E	7.5MM SCREW CADDY, FIXED, EMPTY	I	Annex IX, Rule 1	13730
02-FX-AUXCDY-E	AUXILIARY SCREW CADDY, FIXED, EMPTY	I	Annex IX, Rule 1	13730
02-FX-XLNK-CDY	CADDY, CROSSLINK, FIXED	I	Annex IX, Rule 1	13730
02-IMPCASE-EMPTY	IMPLANT CASE	I	Annex IX, Rule 1	13730
02-INSTCASE-EMPTY	INSTRUMENT CASE	I	Annex IX, Rule 1	13730

Product Code	DESCRIPTION	Class	Rule	GMDN
02-LATOFF-CDY-E	LATERAL OFFSET CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-LGROD-CDY	CADDY, ROD, PRE-BENT	I	Annex IX, Rule 1	13730
02-LGROD-CDY-E	LARGE ROD CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-LNGROD-CO-CDY-E	LONG ROD CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-LNGROD-TI-CDY-E	LONG ROD CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-MANIPANGLED	SCREW MANIPULATOR, ANGLED	I	Annex IX, Rule 6	47807
02-MDROD-CDY	CADDY, ROD, PRE-BENT	I	Annex IX, Rule 1	13730
02-MDROD-CDY-E	MEDIUM ROD CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-PA-45CDY-E	4.5MM SCREW CADDY, POLYAXIAL, EMPTY	I	Annex IX, Rule 1	13730
02-PA-55CDY-E	5.5MM SCREW CADDY, POLYAXIAL, EMPTY	I	Annex IX, Rule 1	13730
02-PA-65CDY-E	6.5MM SCREW CADDY, POLYAXIAL, EMPTY	I	Annex IX, Rule 1	13730
02-PA-75CDY-E	7.5MM SCREW CADDY, POLYAXIAL, EMPTY	I	Annex IX, Rule 1	13730
02-PA-85CDY-E	8.5MM SCREW CADDY, POLYAXIAL, EMPTY	I	Annex IX, Rule 1	13730
02-PA-95CDY-E	9.5MM SCREW CADDY, POLYAXIAL, EMPTY	I	Annex IX, Rule 1	13730
02-PA-C-45-CASE-E	4.5MM CASE, CANNULATED, POLYAXIAL EMPTY	I	Annex IX, Rule 1	13730
02-PA-C-45CDY-E	SCREW CADDY, CANNULATED, POLYAXIAL 4.5MM (D)	I	Annex IX, Rule 1	13730
02-PA-C-55CDY-E	SCREW CADDY, CANNULATED, POLYAXIAL 5.5MM (D)	I	Annex IX, Rule 1	13730
02-PA-C-65CDY-E	SCREW CADDY, CANNULATED, POLYAXIAL 6.5MM (D)	I	Annex IX, Rule 1	13730
02-PA-C-75CDY-E	SCREW CADDY, CANNULATED, POLYAXIAL 7.5MM (D)	I	Annex IX, Rule 1	13730
02-PA-C-85-CASE-E	8.5MM CASE, CANNULATED, POLYAXIAL EMPTY	I	Annex IX, Rule 1	13730
02-PA-C-85CDY-E	SCREW CADDY, CANNULATED, POLYAXIAL 8.5MM (D)	I	Annex IX, Rule 1	13730
02-PACADDY-475	SCREW CADDY 4.75MM	I	Annex IX, Rule 1	13730
02-PACADDY-775	SCREW CADDY 7.75MM	I	Annex IX, Rule 1	13730
02-PA-C-IMP-CASE-E	IMPLANT CASE, CANNULATED, POLYAXIAL EMPTY	I	Annex IX, Rule 1	13730
02-PA-C-INS-CASE-E	INSTRUMENT CASE, CANNULATED, POLYAXIAL EMPTY	I	Annex IX, Rule 1	13730
02-PA-L-65CDY-E	6.5MM SCREW CADDY, LONG, POLYAXIAL, EMPTY	I	Annex IX, Rule 1	13730
02-PA-L-75CDY-E	7.5MM SCREW CADDY, LONG, POLYAXIAL, EMPTY	I	Annex IX, Rule 1	13730
02-PA-L-85CDY-E	8.5MM SCREW CADDY, LONG, POLYAXIAL, EMPTY	I	Annex IX, Rule 1	13730
02-PA-L-95CDY-E	9.5MM SCREW CADDY, LONG, POLYAXIAL, EMPTY	I	Annex IX, Rule 1	13730
02-RAPIDREDUCR	RAPID REDUCER	I	Annex IX, Rule 6	44804

Product Code	DESCRIPTION	Class	Rule	GMDN
02-RC-LNG-CO	CADDY, ROD, LONG, HEX END COBALT CHROME, 200MM, 400MM	I	Annex IX, Rule 1	13730
02-RC-LNG-TI	CADDY, ROD, LONG, HEX END TITANIUM ALLOY, 200MM, 400MM	I	Annex IX, Rule 1	13730
02-REDUCER	LEVER REDUCER	I	Annex IX, Rule 6	44804
02-RET-CLIP	CONNECTOR RETAINING CLIP	I	Annex IX, Rule 6	13180
02-RODCONN-CDY-E	CADDY, ROD CONNECTOR, EMPTY	I	Annex IX, Rule 1	13730
02-RODGRIPPER	ROD GRIPPER LARGE	I	Annex IX, Rule 6	47807
02-ROD-LG-CDY-E	LARGE ROD CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-ROD-MD-CDY-E	MEDIUM ROD CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-ROD-SM-CDY-E	SMALL ROD CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-RR-HANDLE	RAPID REDUCER, COUNTER TORQUE HANDLE	I	Annex IX, Rule 6	47554
02-RS-55CDY-E	5.5MM SCREW CADDY, REDUCTION, EMPTY	I	Annex IX, Rule 1	13730
02-RS-65CDY-E	6.5MM SCREW CADDY, REDUCTION, EMPTY	I	Annex IX, Rule 1	13730
02-RS-75CDY-E	7.5MM SCREW CADDY, REDUCTION, EMPTY	I	Annex IX, Rule 1	13730
02-RS-AUXCDY-E	AUXILIARY SCREW CADDY, REDUCTION, EMPTY	I	Annex IX, Rule 1	13730
02-RS-C-45-CASE-E	4.5MM CASE, CANNULATED, REDUCTION EMPTY	I	Annex IX, Rule 1	13730
02-RS-C-45CDY-E	SCREW CADDY, CANNULATED, POLYAXIAL, REDUCTION 4.5MM (D)	I	Annex IX, Rule 1	13730
02-RS-C-55CDY-E	SCREW CADDY, CANNULATED, POLYAXIAL, REDUCTION 5.5MM (D)	I	Annex IX, Rule 1	13730
02-RS-C-65CDY-E	SCREW CADDY, CANNULATED, POLYAXIAL, REDUCTION 6.5MM (D)	I	Annex IX, Rule 1	13730
02-RS-C-75CDY-E	SCREW CADDY, CANNULATED, POLYAXIAL, REDUCTION 7.5MM (D)	I	Annex IX, Rule 1	13730
02-RS-C-85-CASE-E	8.5MM CASE, CANNULATED, REDUCTION EMPTY	I	Annex IX, Rule 1	13730
02-RS-C-85CDY-E	SCREW CADDY, CANNULATED, POLYAXIAL, REDUCTION 8.5MM (D)	I	Annex IX, Rule 1	13730
02-RS-C-IMP-CASE-E	IMPLANT CASE, CANNULATED, REDUCTION EMPTY	I	Annex IX, Rule 1	13730
02-RS-C-INS-CASE-E	INSTRUMENT CASE, CANNULATED, REDUCTION EMPTY	I	Annex IX, Rule 1	13730
02-RS-C-TORQUE	REDUCTION SCREW COUNTER TORQUE TUBE	I	Annex IX, Rule 6	47554
02-RS-INSERTER	REDUCTION SCREW INSERTER	I	Annex IX, Rule 6	33968
02-RS-INSERTER-C	CANNULATED REDUCTION SCREW INSERTER	I	Annex IX, Rule 6	33968
02-RS-SCREWINSRTR	REDUCTION SCREW INSERTER	I	Annex IX, Rule 6	33968
02-RS-TAB-BREAKER	REDUCTION SCREW TAB BREAKER	I	Annex IX, Rule 6	12696
02-SCREWINSRTR	SCREW INSERTER	I	Annex IX, Rule 6	33968

Product Code	DESCRIPTION	Class	Rule	GMDN
02-SCREWINSRTR-C	CANNULATED SCREW INSERTER	I	Annex IX, Rule 6	33968
02-SCREWINSRTR-CL	SCREW INSERTER, MODULAR	I	Annex IX, Rule 6	33968
02-SETSCREW-CDY	SET SCREW CADDY	I	Annex IX, Rule 1	13730
02-SETSCREW-CDY-E	SET SCREW CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-SETSCRWINS-1	INSERTER, SET SCREW	I	Annex IX, Rule 6	33968
02-SETSCRWINS-2	INSERTER, SET SCREW, DOUBLE END	I	Annex IX, Rule 6	33968
02-S-FINDER-L	PEDICLE FINDER STRAIGHT, LONG	I	Annex IX, Rule 6	47862
02-S-FINDER-T	PEDICLE FINDER STRAIGHT, THORACIC	I	Annex IX, Rule 6	47862
02-SMROD-CDY	CADDY, ROD, PRE-BENT	I	Annex IX, Rule 1	13730
02-SMROD-CDY-E	SMALL ROD CADDY, EMPTY	I	Annex IX, Rule 1	13730
02-STRM-IMP-CASE-E	IMPLANT CASE, EMPTY	I	Annex IX, Rule 1	13730
02-STRM-INS-CASE-E	INSTRUMENT CASE, EMPTY	I	Annex IX, Rule 1	13730
02-TAP-100	DOUBLE LEAD TAP 10.0MM	I	Annex IX, Rule 6	17507
02-TAP-105	DOUBLE LEAD TAP 10.5MM	I	Annex IX, Rule 6	17507
02-TAP-110	DOUBLE LEAD TAP 11.0MM	I	Annex IX, Rule 6	17507
02-TAP-35	DOUBLE LEAD TAP 3.5MM	I	Annex IX, Rule 6	17507
02-TAP-45	DOUBLE LEAD TAP 4.5MM	I	Annex IX, Rule 6	17507
02-TAP-55	DOUBLE LEAD TAP 5.5MM	I	Annex IX, Rule 6	17507
02-TAP-60	DOUBLE LEAD TAP 6.0MM	I	Annex IX, Rule 6	17507
02-TAP-65	DOUBLE LEAD TAP 6.5MM	I	Annex IX, Rule 6	17507
02-TAP-70	DOUBLE LEAD TAP 7.0MM	I	Annex IX, Rule 6	17507
02-TAP-75	DOUBLE LEAD TAP 7.5MM	I	Annex IX, Rule 6	17507
02-TAP-80	DOUBLE LEAD TAP 8.0MM	I	Annex IX, Rule 6	17507
02-TAP-85	DOUBLE LEAD TAP 8.5MM	I	Annex IX, Rule 6	17507
02-TAP-90	DOUBLE LEAD TAP 9.0MM	I	Annex IX, Rule 6	17507
02-TAP-95	DOUBLE LEAD TAP 9.5MM	I	Annex IX, Rule 6	17507
02-TAP-SLEEVE	UNIVERSAL TAP SLEEVE	I	Annex IX, Rule 6	47831
02-TL-HANDLE	TORQUE LIMITING HANDLE	I	Annex IX, Rule 6	47830
02-TOWER	REDUCTION TOWER	I	Annex IX, Rule 6	44804
02-TOWERDRIVER	REDUCTION TOWER DRIVER	I	Annex IX, Rule 6	47829
02-VAR-XLNK-CDY	CADDY, CROSSLINK, VARIABLE	I	Annex IX, Rule 1	13730
02-XLNK-BEND-FIX-L	FIXED CROSSLINK BENDER LEFT	I	Annex IX, Rule 6	44795
02-XLNK-BEND-FIX-R	FIXED CROSSLINK BENDER RIGHT	I	Annex IX, Rule 6	44795
02-XLNK-BEND-VAR-F	VARIABLE CROSSLINK BENDER FEMALE	I	Annex IX, Rule 6	44795

Product Code	DESCRIPTION	Class	Rule	GMDN
02-XLNK-BEND-VAR-M	VARIABLE CROSSLINK BENDER MALE	I	Annex IX, Rule 6	44795
02-XLNK-CASE-E	CASE, CROSSLINK, EMPTY	I	Annex IX, Rule 1	13730
02-XLNKCASE-EMPTY	CASE, CROSSLINK	I	Annex IX, Rule 1	13730
02-XLNK-COUNTER-T	CROSSLINK COUNTER TORQUE TUBE	I	Annex IX, Rule 6	47554
02-XLNK-COUNT-TORQ	CROSSLINK COUNTER TORQUE TUBE	I	Annex IX, Rule 6	47554
02-XLNK-FLDRIVER	CROSSLINK FINAL DRIVER	I	Annex IX, Rule 6	33968
02-XLNK-FX-CDY-E	CADDY, CROSSLINK, FIXED, EMPTY	I	Annex IX, Rule 1	13730
02-XLNK-GAUGE	CROSSLINK GAUGE	I	Annex IX, Rule 6	46479
02-XLNK-HOLDER	CROSSLINK HOLDER	I	Annex IX, Rule 6	47807
02-XLNK-PINSERTER	CROSSLINK PROVISIONAL INSERTER	I	Annex IX, Rule 6	33968
02-XLNK-TLHANDLE	CROSSLINK TORQUE HANDLE	I	Annex IX, Rule 6	47830
02-XLNK-VAR-CDY-E	CADDY, CROSSLINK, VARIABLE, EMPTY	I	Annex IX, Rule 1	13730
10-AWL	BONE AWL	I	Annex IX, Rule 6	15275
10-BENDER-55	ROD BENDER, Ø5.5MM	I	Annex IX, Rule 6	44795
10-BMARKER	PEDICLE MARKER, BANDED	I	Annex IX, Rule 6	13180
10-CBALLTIP	BALLTIP, CURVED	I	Annex IX, Rule 6	47862
10-CFINDER	PEDICLE FINDER, CURVED	I	Annex IX, Rule 6	47862
10-CFINDER-SM-S	PEDICLE FINDER, CURVED, SM., SQUARE TIP	I	Annex IX, Rule 6	47862
10-COMPRESSOR	COMPRESSOR	I	Annex IX, Rule 6	47870
10-CUTCART-55	ROD CUTTER CARTRIDGE, 5.5MM	I	Annex IX, Rule 6	44805
10-CUTCART-60	ROD CUTTER CARTRIDGE, 6.0MM	I	Annex IX, Rule 6	44805
10-CUTCART-635	ROD CUTTER CARTRIDGE, 6.35MM	I	Annex IX, Rule 6	44805
10-CUTTERCASE	ROD CUTTER CASE	I	Annex IX, Rule 1	13730
10-DEBURRER	ROD DEBURRER	I	Annex IX, Rule 6	44805
10-DISTRACTOR	DISTRACTOR	I	Annex IX, Rule 6	47870
10-GRIPPER-S	ROD GRIPPER, SMALL	I	Annex IX, Rule 6	47807
10-MARKER	PEDICLE MARKER	I	Annex IX, Rule 6	13180
10-MARKER-90	PEDICLE MARKER, 90MM	I	Annex IX, Rule 6	13180
10-PHANDLE	PALM STYLE HANDLE	I	Annex IX, Rule 6	47829
10-PUSHER	ROD PUSHER	I	Annex IX, Rule 6	47807
10-RADIALCOMP	COMPRESSOR, RADIAL, Ø5.5MM	I	Annex IX, Rule 6	47870
10-RADIALDIST	DISTRACTOR, RADIAL, Ø5.5MM	I	Annex IX, Rule 6	47870
10-RDDRIVER	DRIVER, ROD TO ROD	I	Annex IX, Rule 6	33968

Product Code	DESCRIPTION	Class	Rule	GMDN
10-RODCUTTER	ROD CUTTER	I	Annex IX, Rule 6	44805
10-RODFORCEP-S	ROD FORCEP, STRAIGHT, Ø5.5MM	I	Annex IX, Rule 6	12696
10-RODWRENCH	ROD WRENCH, 3/16"	I	Annex IX, Rule 6	47807
10-RODTEMPLATE	ROD TEMPLATE	I	Annex IX, Rule 6	46479
10-RPHANDLE	RATCHETING PALM HANDLE, 1/4" SDQC	I	Annex IX, Rule 6	47829
10-RSHANDLE	RATCHETINGSTRAIGHTHANDLE, 1/4" SDQC	I	Annex IX, Rule 6	47829
10-RTHANDLE	T-HANDLE, RATCHETING	I	Annex IX, Rule 6	47829
10-SBALLTIP	BALLTIP, STRAIGHT	I	Annex IX, Rule 6	47862
10-SBALLTIP-R	STRAIGHT RIGID BALLTIP PROBE	I	Annex IX, Rule 6	47862
10-SCREWCOMP	SCREW COMPRESSOR	I	Annex IX, Rule 6	47870
10-SCREWDIST	SCREW DISTRACTOR	I	Annex IX, Rule 6	12696
10-SFINDER	PEDICLE FINDER, STRAIGHT	I	Annex IX, Rule 6	47862
10-SFINDER-DB-L	PEDICLE FINDER, STRAIGHT, DUCKBILL, LONG	I	Annex IX, Rule 6	47862
10-SFINDER-LE-L	PEDICLE FINDER, STRAIGHT, LENKE, LONG	I	Annex IX, Rule 6	47862
10-SFINDER-SM-S	PEDICLE FINDER, STRAIGHT, SMALL, SQUARE TIP	I	Annex IX, Rule 6	47862
10-SHANDLE	FIXED STRAIGHT HANDLE, 1/4" SDQC	I	Annex IX, Rule 6	47829
10-SWIZZLESTIK	SWIZZLE STICK	I	Annex IX, Rule 6	47807
10-TEMPLATE-250	250MM NITINOL ROD TEMPLATE	I	Annex IX, Rule 6	46479
10-TEMPLATE-400	400MM NITINOL ROD TEMPLATE	I	Annex IX, Rule 6	46479
10-TEMPLATE-600	600MM NITINOL ROD TEMPLATE	I	Annex IX, Rule 6	46479
10-THANDLE	T-HANDLE	I	Annex IX, Rule 6	47829
10-TLHANDLE	DRIVER, TORQUE LIMITING	I	Annex IX, Rule 6	47830