



Declaration of Conformity

According to the EC Directive 93/42/EEC amended per MDD 2007/47/EC

Manufacturer:
OsteoMed

3885 Arapaho Road
Addison, TX 75001, USA
Customer Service: 800/456-7779
Outside USA: 972/677-4600

European Authorized Representative:
Shotwell & Carr

25 Baker Close
Fishbourne, Chichester
West Sussex, UK PO18 8BJ
Tel: +44 (0) 1243 779 550

We, **OsteoMed**, ensure and declare under our sole responsibility that the listed products to which this Declaration relates are in conformity and meet the provisions of EC Directive 93/42/EEC, as amended per MDD 2007/47/EC, which apply to them and covered by CE mark 0086 as stated in Annex II - 3 of this Directive.

The listed product is classified as **Class IIa** as stated in Annex IX of EC Directive 93/42/EEC

This declaration is based on EC Directive 93/42/EEC Annex II Article 3

CERTIFICATION OF A FULL QUALITY ASSURANCE SYSTEM

Certificate issued by: BSI (UK)
Kitemark Court, Davy Avenue, Knowhill, Milton Keynes MK5 8PP
(Notified under No. 0086 to the EC Commission)

Certificate / Registration No.: CE 584746


Date of Expiry: 08/06/2015

A list of product Lot numbers and/or serial numbers for the shipment therefore covered by this declaration are available upon request.

OsteoMed Management Representative:


Bill Melendez, PE

Chief Operating Officer


Date

Declaration of Conformity
IIa



VYHLÁSENIE O ZHODE

Podľa smernice ES 93/42/EHS v znení smernice 2007/47/ES o zdravotníckych pomôckach

Výrobca:
OsteoMed

3885 Arapaho Road
Addison, TX 75001, USA
Služby zákazníkom: 800/456-7779
Mimo USA: 972/677-4600

Európsky splnomocnený zástupca
Shotwell & Carr

25 Baker Close
Fishbourne, Chichester
West Sussex, UK PO18 8BJ
Tel.: +44(0) 1243 779 550

My, spoločnosť **OsteoMed**, zaručujeme a vyhlasujeme na svoju výhradnú zodpovednosť, že uvedené výrobky, ktorých sa toto vyhlásenie týka, sú v súlade s ustanoveniami a spĺňajú ustanovenia ES smernice 93/42/EHS v znení smernice 2007/47/ES pre zdravotnícke pomôcky, ktoré pre ne platia, a na ktoré sa vzťahuje značka CE 0086 ako je uvedené v prílohe II, článku 3 tejto smernice.

Uvedené výrobky sú klasifikované v **triede IIa** tak, ako je uvedené v prílohe IX ES smernice 93/42/EHS

Toto vyhlásenie je založené na smernici 93/42/EHS, príloha II, článok 3

OSVEDČENIE O ZABEZPEČENÍ KOMPLEXNÉHO SYSTÉMU RIADENIA KVALITY

Certifikát vystavený (kým): BSI (UK)
Kitemark Court, Davy Avenue, Knowhill, Milton Keynes MK5 8PP
(oznámené Komisii ES pod číslom 0086)

Certifikát / Registračné číslo: ES 584746

Platný do: 06. 08. 2015

Číslo šarží a/alebo výrobné čísla výrobkov v zásielke, ktoré podliehajú tomuto vyhláseniu, sú k dispozícii na vyžiadanie.

Zástupca vedenia spoločnosti OsteoMed:

Podpis nečitateľný
Bill Melendez, PE
Prevádzkový riaditeľ

18. 07. 2012
Dátum

Vyhlásenie o zhode
IIa

Tlmočnická doložka Sworn Translator's Certificate

Ako súdna tlmočníčka slovenského jazyka menovaná dekrétom ministra spravodlivosti Českej republiky Spr 56/97 zo dňa 12. mája, 1997 týmto potvrdzujem, že tento dokument je presným a úplným prekladom do slovenčiny a súhlasí doslovne so znením pripojenej listiny v anglickom jazyku. Tlmočnický úkon bol riadne zapísaný do denníka ako položka č. 3283/2012

As a sworn translator of the Slovak language appointed by the Minister of Justice of the Czech Republic by Spr 56/97 Decree dated May 12, 1997 I confirm hereby that this document is a correct and full translation into the Slovak language and complies verbatim with the attached document in English. This translation has been duly entered into the journal under the number 3283/2012


Ing. Ingrid Mrázová





Declaration of Conformity Class IIa Parts Listing

Part No.	Part Description	GMDN
202-0300	2.0mm Locking Screw Bending Insert	P44759
206-0300	2.4 mm Locking Screw Bending Insert	P44759
207-0120	24 gauge Stainless Steel Wire	P46644
210-0006T	15mm, "L" Template	P44759
210-0010T	18mm, Right "L" Template	P44759
210-0014T	23mm Right "L", Template	P44759
210-0038T	18 Hole Straight Plate, Template	P44759
214-0050T	33mm 4 Hole Semi-Compression Template	P44759
214-0051T	33mm 4 Hole EDC Template	P44759
214-0052T	48mm 6 Hole EDC Template	P44759
214-0053T	38mm 4 Hole EDC Template	P44759
214-0055T	Short Angled EDC Template	P44759
214-0057T	Long Angled EDC Template	P44759
214-0060T	Right Reconstruction Template	P44759
214-0064T	Straight Reconstruction Template	P44759
214-0201T	Reconstruction Template 4 x 12 Hole,	P44759
214-0203T	Reconstruction Template 5 x 16 Hole	P44759
214-0205T	Reconstruction Template, Full, 5 x 20 x 5	P44759
214-0206T	Reconstruction Template, Full, 5 x 20 x 5	P44759
214-0207T	Reconstruction Template, Straight, 14 Hole	P44759
214-0208T	Reconstruction Template, Straight, 18 Hole	P44759
214-0210T	Fracture Template, 4 Hole DCP, 32mm	P44759
214-0211T	Fracture Template, 4 Hole DCP, 34mm	P44759
214-0212T	Fracture Template, 4 Hole DCP, 37mm	P44759
214-0213T	Fracture Template, 6 Hole DCP, 47mm	P44759
214-0214T	Fracture Template, 6 Hole DCP, 49mm	P44759
214-0215T	Fracture Template, 6 Hole DCP, 52mm	P44759
214-0216T	Fracture Template, 8 Hole DCP, 59mm	P44759
214-0219T	2 x 2 Hole Angled Fracture Plate Template	P44759
214-0220T	3 x 3 Hole Angled Fracture Plate Template	P44759
214-0221T	Rigid Comminuted Fracture Plate Template	P44759
214-0231T	MFx™ 2.0mm Reduction Template, 4 Hole	P44759
214-0251T	MFx™ 2.4mm Reduction Template, 4 Hole	P44759
214-0262T	MFx™ 125° Contoured Reconstruction Template, 4 x 12, Right & Left	P44759
214-0264T	MFx™ 125° Contoured Reconstruction Template, 5 x 16, Right & Left	P44759
214-0265T	MFx™ 125° Contoured Reconstruction Template, 5 x 20 x 5, Full	P44759
214-0266T	MFx™ 125° Contoured Reconstruction Template, 5 x 16 x 5, Full	P44759
214-0400T	2.0mm Locking Fracture Plate, 4 Hole, Short, Template	P44759
214-0401T	2.0mm Locking Fracture Plate, 4 Hole, Medium, Template	P44759

Part No.	Part Description	GMDN
214-0402T	2.0mm Locking Fracture Plate, 6 Hole, Template	P44759
214-0403T	2.0mm Locking Plate, Comminution, Template	P44759
216-1201	0.9mm Pilot Drill, Logic™ Jr. OsteoPower	P44759
216-1202	0.9mm Pilot Drill, Logic™ Jr., J-Latch	P44759
220-0000	0.9mm Pilot Drill, J-Latch	P44759
220-0001	1.0mm Pilot Drill, J-Latch	P44759
220-0002	1.3mm Pilot Drill, J Latch, 12 mm	P44759
220-0003	1.6mm Pilot Drill, J-Latch	P44759
220-0004	1.6mm Pilot Drill, Long, J-Latch	P44759
220-0005	2.0mm Pilot Drill, J-Latch, 12 mm	P44759
220-0006	2.0mm Pilot Drill, Long, J-Latch	P44759
220-0007	1.6mm Pilot Drill, Manual	P44759
220-0008	2.0mm Pilot Drill, Manual	P44759
220-0011	1.0mm Pilot Drill, 4mm Stop, J-Latch	P44759
220-0012	1.6mm Pilot Drill, 6mm Stop, J-Latch	P44759
220-0013	1.6mm Pilot Drill, 4mm Stop, J-Latch	P44759
220-0015	0.9 mm Pilot Drill, 3mm Stop, J-Latch	P44759
220-0062	1.3mm Pilot Drill, J-Latch, 16 mm	P44759
220-0063	1.3mm Pilot Drill, Manual	P44759
220-0064	1.3mm Pilot Drill, Dental Latch	P44759
220-0065	1.0mm Pilot Drill, 8mm Stop, Dental Latch	P44759
220-0066	1.0mm Pilot Drill, 4mm Stop, Dental Latch	P44759
220-0089	1.0mm Pilot Drill, 6mm Stop, J-Latch	P44759
220-0091	1.3mm Pilot Drill, 4mm Stop, J-Latch	P44759
220-0092	1.3mm Pilot Drill, 4mm Stop, Manual	P44759
220-0098	1.3mm Pilot Drill, Stryker 100k Command 1	P44759
220-0103	1.6mm Pilot Drill, 16mm, Dental Latch	P44759
220-0104	1.6mm Calibrated Drill Bit, D-Latch	P44759
220-0105	2.0mm Pilot Drill, 16mm, Dental Latch	P44759
220-0106	2.0mm Pilot Drill, 16mm, Dental Latch	P44759
220-0107	1.6mm Pilot Drill, Calibrated, Long Pointed Cannula, J-Latch	P44759
220-0108	2.0mm Pilot Drill, Calibrated, Long Pointed Cannula, J-Latch	P44759
220-0109	1.6mm Pilot Drill, Calibrated, Long Pointed Cannula, OsteoPower	P44759
220-0113	1.6mm Pilot Drill, Dental Latch	P44759
220-0115	2.0mm Pilot Drill, 10mm, Dental Latch	P44759
220-0116	1.6mm Pilot Drill, 6mm, Dental Latch	P44759
220-0117	1.6mm Twist Drill, 4mm Stop, Short, Dental Latch	P44759
220-0118	1.6mm Twist Drill, 6mm Stop, Short, Dental Latch	P44759
220-0165	1.0mm Pilot Drill, 12mm Stop, Dental Latch	P44759
220-0202	1.6mm Pilot Drill, Calibrated, Short Pointed Cannula, J-Latch	P44759
220-0204	1.6mm Pilot Drill, Long Calibrated, J-Latch	P44759
220-0205	2.0mm Pilot Drill, Calibrated, Short Pointed Cannula, J-Latch	P44759

Part No.	Part Description	GMDN
220-0206	2.0mm Pilot Drill, Long Calibrated, J-Latch	P44759
220-0209	1.3mm Pilot Drill, J-Latch, Extended Length	P44759
220-0251	MFx™ 1.6mm Rainbow Pilot Drill, Short Pointed Cannula, J-Latch	P44759
220-0252	MFx™ 2.0mm Rainbow Pilot Drill, Short Pointed Cannula, J-Latch	P44759
220-0253	MFx™ 1.6mm Rainbow Pilot Drill, Long Pointed Cannula, J-Latch	P44759
220-0254	MFx™ 2.0mm Rainbow Pilot Drill, Long Pointed Cannula, J-Latch	P44759
220-0255	MFx™ 1.6mm Rainbow Pilot Drill, Blunt Cannula, J-Latch	P44759
220-0256	MFx™ 2.0mm Rainbow Pilot Drill, Blunt Cannula, J-Latch	P44759
220-0300	0.9mm Pilot Drill, OSTEOPOWER™	P44759
220-0301	1.0mm Pilot Drill, OSTEOPOWER™	P44759
220-0302	1.3mm Pilot Drill, 12mm Stop, OSTEOPOWER™	P44759
220-0303	1.6mm Pilot Drill, OSTEOPOWER™	P44759
220-0304	1.6mm Pilot Drill, Long, OSTEOPOWER™	P44759
220-0305	2.0mm Pilot Drill, OSTEOPOWER™	P44759
220-0306	2.0mm Pilot Drill, Long, OSTEOPOWER™	P44759
220-0307	1.6mm Pilot Drill, Calibrated, Mandible, OSTEOPOWER™	P44759
220-0308	Pilot Drill, OsteoPower Maxi, Long Calibrated, 2.0mm	P44759
220-0309	1.3mm Pilot Drill, Extended Length, OSTEOPOWER™	P44759
220-0310	1.6mm Pilot Drill, Long, OSTEOPOWER™	P44759
220-0311	1.0mm Pilot Drill, 4mm Stop, OSTEOPOWER™	P44759
220-0312	1.6mm Pilot Drill, 6mm Stop, OSTEOPOWER™	P44759
220-0313	1.6mm Pilot Drill, 4mm Stop, OSTEOPOWER™	P44759
220-0316	1.6mm Pilot Drill, 8mm Stop, OsteoPower	P44759
220-0318	0.9mm Pilot Drill, 3mm Stop, J-Latch	P44759
220-0319	0.9mm Pilot Drill, 4mm Stop, J-Latch	P44759
220-0320	0.9mm Pilot Drill, 5mm Stop, J-Latch	P44759
220-0324	1.6mm Pilot Drill 6mm Stop Robust	P44759
220-0330	0.7mm Pilot Drill, 14mm, OsteoPower	P44759
220-0331	1.1mm Pilot Drill, 18mm, OsteoPower	P44759
220-0332	2.4mm Pilot Drill, OsteoPower	P44759
220-0333	3.0mm Pilot Drill, OsteoPower	P44759
220-0362	1.3mm Pilot Drill, 16mm Stop, OsteoPower	P44759
220-0560	2.0mm Pilot Drill, Long, Mandible System	P44759
220-0561	1.6mm Pilot Drill, Long, Mandible System	P44759
220-0563	2.0mm Pilot Drill, Long, Mandible System, OSTEOPOWER™	P44759
220-0565	1.6mm Pilot Drill, Mandible, OSTEOPOWER™	P44759
220-0621	1.6mm Twist Drill, 16mm Stop, J-Latch	P44759
220-0706	1.0mm Pilot Drill, 8mm Stop	P44759
220-0707	1.0mm Pilot Drill, 12mm Stop	P44759
220-0708	1.3mm Pilot Drill, 8mm Stop	P44759
220-0709	1.6mm Pilot Drill, 22mm Stop	P44759
222-0004	1.1mm Pilot Drill, 4mm Stop, J-latch	P44759

Part No.	Part Description	GMDN
222-0005	1.1mm Pilot Drill, 4mm Stop, Manual	P44759
222-0006	1.1mm Pilot Drill, 6mm Stop, J-latch	P44759
222-0010	1.1mm Pilot Drill, 3M Latch, 4mm Stop	P44759
222-0011	1.1mm Pilot Drill, 3M Latch, 6mm Stop	P44759
222-0300	1.1mm Pilot Drill, 4mm Stop	P44759
222-0301	1.1mm Pilot Drill, 6mm Stop	P44759
222-0304	1.1mm Pilot Drill, 4mm Stop, OsteoPower	P44759
222-0306	1.1mm Pilot Drill, 6mm Stop, OsteoPower	P44759
230-0032	Contra-Angle Disposable Set, 7mm Plunge, 3 pc	P44759
230-0034	Contra-Angle Disposable Set, 11mm Plunge, 3 pc	P44759
250-0049	1.3mm Pilot Drill, 4mm Stop, J Latch	P44759
250-0050	1.3mm Pilot Drill, 6mm Stop, J Latch	P44759
250-0051	1.3mm Pilot Drill, 8mm Stop, J Latch	P44759
250-0052	1.3mm Pilot Drill, 8mm Stop, OsteoPower	P44759
250-0053	1.3mm Pilot Drill, 6mm Stop, OsteoPower	P44759
250-0054	1.3mm Pilot Drill, 4mm Stop, OsteoPower	P44759
250-0072	Auto-Tap, 1.6mm, 4mm Stop, AutoDriver™	P44759
250-0073	Auto-Tap, 1.6mm, 6mm Stop, AutoDriver™	P44759
250-0074	Auto-Tap, 1.6mm, 8mm Stop, AutoDriver™	P44759
250-0075	Auto-Tap, 2.0mm, 4mm Stop, AutoDriver™	P44759
250-0076	Auto-Tap, 2.0mm, 8mm Stop, AutoDriver™	P44759
250-0077	Auto-Tap, 2.0mm, 8mm Stop, AutoDriver™	P44759
314-1456T	CalFix, Calcaneal Plate Template, 56mm	P44759
314-1465T	CalFix, Calcaneal Plate Template, 65mm	P44759
314-1474T	CalFix, Calcaneal Plate Template, 74mm	P44759
316-0005	2.3mm Cannulated Drill, Manual	P44759
316-0013	1.7mm Cannulated Drill, Quick Release	P44759
316-0014	1.7mm Cannulated Drill, Long, Quick Release	P44759
316-0015	2.3mm Cannulated Drill, Quick Release	P44759
316-0016	4.7mm Cannulated Drill	P44759
316-0023	.110 x 11.8" Partially Threaded Steinmann Pin	P44759
316-0105	1.7mm Cannulated Drill, Manual	P44759
316-0107	.035 x 4" Guide Wire	P46646
316-0116	1.7mm Cannulated Drill, Long, Manual	P44759
316-0124	2.4mm Pilot Drill, Cannulated, Quick Release	P44759
316-0127	1.7mm Drill/Countersink Combo, Short, Manual	P44759
316-0128	1.7mm Drill/Countersink Combo, Long, Manual	P44759
316-0227	2.3mm Drill/Countersink, Short, Manual	P44759
316-0228	2.4mm Drill/Countersink, Long, Manual	P44759
316-0316	2.0/2.4mm Proximal Cortex Drill	P44759
316-0317	2.9mm Proximal Cortex Drill, Manual	P44759
316-0320	2.0/2.4mm Proximal Cortex Drill, Quick Release	P44759

Part No.	Part Description	GMDN
316-0321	2.9mm Proximal Cortex Drill, Quick Release	P44759
316-0322	2.4mm Proximal Cortex Drill, Manual	P44759
316-0323	2.4mm Proximal Cortex Drill, Quick Release	P44759
316-0327	2.7mm Cannulated Drill, Manual	P44759
316-0427	2.7mm Cannulated Drill, Quick Release	P44759
316-0917	1.7mm Cannulated Drill, Fusion, Manual	P44759
316-0920	2.0mm Cannulated Drill, Fusion, Manual	P44759
316-1017	1.7mm Cannulated Drill, Fusion, Quick Release	P44759
316-1020	2.0mm Cannulated Drill, Fusion, Quick Release	P44759
320-0007	1.0mm Pilot Drill, J-Latch	P44759
320-0010	1.3mm Pilot Drill, J-Latch	P44759
320-0012	1.8mm Pilot Drill, J-Latch	P44759
320-0013	2.0mm Pilot Drill, J-Latch	P44759
320-0014	1.0mm Pilot Drill, Manual	P44759
320-0016	1.3mm Pilot Drill, Manual	P44759
320-0018	1.8mm Pilot Drill, Manual	P44759
320-0019	2.0mm Pilot Drill, Manual	P44759
320-0124	2.4mm Pilot Drill, Quick Release	P44759
320-0135	3.5mm Pilot Drill, Quick Release	P44759
320-0307	1.2mm Screw Pilot Drill Assy	P44759
320-0310	1.3 mm Pilot Drill, OsteoPower	P44759
320-0312	1.8mm Pilot Drill, OsteoPower	P44759
320-0313	2.0mm Pilot Drill, OsteoPower	P44759
320-0407	4.0mm x 228mm Steinmann Pin, Fully Threaded	P44759
320-0408	4.8mm x 229mm Steinmann Pin, Smooth	P44759
320-0409	5.4mm x 229mm Steinmann Pin, Partially Threaded	P44759
320-1001	1.2mm/1.6mm Plate Holding Tak	P44759
320-1002	2.0mm/2.4mm Plate Holding Tak	P44759
320-1011	1.2mm/1.6mm Threaded Tak™	P44759
320-1012	2.0mm/2.4mm Threaded Tak™	P44759
320-1210	1.0mm Drill, Manual	P44759
320-1213	1.3mm Drill, Manual	P44759
320-1215	1.5mm Drill, Manual	P44759
320-1216	1.6mm Drill, Manual	P44759
320-1220	2.0mm Drill, Manual	P44759
320-1224	2.4mm Drill, Manual	P44759
320-1410	1.0mm Drill, J-Latch	P44759
320-1413	1.3mm Drill, J-Latch	P44759
320-1415	1.5mm Drill, J-Latch	P44759
320-1416	1.6mm Drill, J-Latch	P44759
320-1420	2.0mm Drill, J-Latch	P44759
320-1424	2.4mm Drill, J-Latch	P44759

Part No.	Part Description	GMDN
320-1610	1.0mm Drill, Quick Release	P44759
320-1613	1.3mm Drill, Quick Release	P44759
320-1615	1.5mm Drill, Quick Release	P44759
320-1616	1.6mm Drill, Quick Release	P44759
320-1620	2.0mm Drill, Quick Release	P44759
320-1624	2.4mm Drill, Quick Release	P44759
320-1715	1.5mm Drill, Quick Release, Short	P44759
320-1720	2.0mm Drill, Quick Release, Short	P44759
320-4011	2.5mm Pilot Drill, Manual	P44759
320-4310	2.5mm Pilot Drill, OsteoPower	P44759
321-0004	FPS™ Plate Holding Tak, .045" x 6"	P44759
321-0121	FPS™ Plate Holding Tak, .062" x 6"	P44759
323-1113	FPS™ 1.3mm for 2.0mm Screw Pilot Drill	P44759
323-1116	FPS™ 1.6mm for 2.7mm Screw Pilot Drill	P44759
323-1120	FPS™ 2.0mm for 2.7mm Screw Pilot Drill	P44759
323-1220	FPS™ 2.0mm Clearance Drill Bit	P44759
323-1224	FPS™ 2.4mm for 3.5/4.0 Screws Pilot Drill	P44759
323-1227	FPS™ 2.7mm Clearance Drill Bit	P44759
323-1235	FPS™ 3.5mm Clearance Drill Bit	P44759
323-1240	FPS™ 4.0mm Clearance Drill Bit	P44759
323-1300	Guide Pin	P44759
323-1313	1.3mm J-Latch FPS Drill, Short	P44759
323-1320	2.0mm J-Latch FPS Drill, Short	P44759
323-1324	2.4mm J-Latch FPS Drill, Short	P44759
341-0005-SP	Talar-Fit 10.5" K-Wire, Long, Sterile	P34108
341-1000-SP	Locking Talar-Fit Surgical Kit - Sterile	P44759
360-2200	Inter-Phalangeal Sterile Surgical Kit	P44759
360-2800	Metatarsal Phalangeal Sterile Surgical Kit	P44759
380-0006	Single-Use Blades, Sterile Packed, 6 pack	P44759
380-0010	KobyGard Single-Use Blades, Sterile	P44759
450-0005-00	Power Control Console 2i with Irrigation	P44759
450-0005-01	Power Control Console 2i with Irrigation, English Voice	P44759
450-0005-02	Power Control Console 2i with Irrigation, Italian Voice	P44759
450-0005-03	Power Control Console 2i with Irrigation, Spanish Voice	P44759
450-0005-04	Power Control Console 2i with Irrigation, French Voice	P44759
450-0005-05	Power Control Console 2i with Irrigation, German Voice	P44759
450-0021-00	Power Control Console 2	P44759
450-0021-01	Power Control Console 2, English Voice	P44759
450-0021-02	Power Control Console 2, Italian Voice	P44759
450-0021-03	Power Control Console 2, Spanish Voice	P44759
450-0021-04	Power Control Console 2, French Voice	P44759
450-0021-05	Power Control Console 2, German Voice	P44759

Part No.	Part Description	GMDN
450-0030	Modular Motor Unit and Cord	P44759
450-0032	Modular Motor Unit and Cord II	P44759
450-0034	Lever Arm Motor Unit	P44759
450-0036	Lever Arm	P44759
450-0055	AUTODRIVER™ with collet	P44759
450-0056	AUTODRIVER™ Screwdriver for 1.6mm Screws	P44759
450-0080	Motor Unit, Footswitch Control	P44759
450-0082	Low Profile Modular Motor Unit, Footswitch Only	P44759
450-0084	Series II Low Profile Modular Motor Unit, Footswitch Only	P44759
450-0203	Universal Straight Drill Module, High Speed	P44759
450-0204	4:1 Universal Pilot Drill	P44759
450-0212	1:1 Straight Drill Module, High Speed	P44759
450-0214	1:1 Straight Drill	P44759
450-0215	1:1 Contra Angle Drill	P44759
450-0220	18:1 Contra Angle Drill	P44759
450-0222	18:1 Contra Angle Drill, External Irrigation	P44759
450-0230	100:1 Contra Angle Drill	P44759
450-0232	100:1 Contra Angle Drill, External Irrigation	P44759
450-0234	100:1 Contra Angle Drill, Low Speed, External Irrigation	P44759
450-0240	Reciprocating Saw	P44759
450-0241	Quick Connect Reciprocating Saw	P44759
450-0255	Sagittal Saw	P44759
450-0261	Oscillating Saw	P44759
450-0270	V.R.O. Saw	P44759
450-0277-SP	V.R.O. Saw Blade, 12mm, .38mm Thick, Sterile	P44759
450-0278-SP	V.R.O. Saw Blade, 7mm, Sterile	P44759
450-0279-SP	V.R.O. Saw Blade, 12mm, Sterile	P44759
450-0285	Wire/Pin Driver, Body Only	P44759
450-0286	Wire/Pin Driver Module with Trigger, .028"-1.25 "	P44759
450-0287	High Torque Jacobs Chuck (450-0287-90 Included)	P44759
450-0289	Synthes A.O. Chuck Assembly	P44759
450-0291	A.O. Chuck with Trigger, -030MU	P44759
450-0296	Wire/Pin Driver Module 340o	P44759
450-0300	Wire Pin Driver Body, LAMU	P44759
450-0301	Wire Pin Driver, LAMU	P44759
450-0302	Jacobs Chuck, LAMU	P44759
450-0303	A.O. Chuck, LAMU	P44759
450-0306	Wire/Pin Driver Module 340o LAMU	P44759
450-0350	Uni-Directional Footswitch II	P44759
450-0360	Bi-Directional Footswitch II	P44759
450-0370	Uni-Directional Master Footswitch II	P44759
450-0380	Bi-Directional Master Footswitch II	P44759

Part No.	Part Description	GMDN
450-0390	BMF Footswitch	P44759
450-0425-SP	Blade, Sag/Osc 4mm/25mm, Sterile	P44759
450-0604	Auto-Tap, 1.6mm, 4mm Stop, OsteoDriverTM	P44759
450-0605	Auto-Tap, 1.6mm, 6mm Stop, OsteoDriverTM	P44759
450-0606	Auto-Tap, 1.6mm, 8mm Stop, OsteoDriverTM	P44759
450-0607	Auto-Tap, 2.0mm, 4mm Stop, OsteoDriverTM	P44759
450-0608	Auto-Tap, 2.0, 6mm Stop, OsteoDriverTM	P44759
450-0609	Auto-Tap, 2.0, 8mm Stop, OsteoDriverTM	P44759
450-0610	.9mm Pilot Drill, 4mm Stop, OsteoDriverTM	P44759
450-0611	.9mm Pilot Drill, 5mm Stop, OsteoDriverTM	P44759
450-0612	.9mm Pilot Drill, 6mm Stop, OsteoDriverTM	P44759
450-0613	.9mm Pilot Drill, 8mm Stop, OsteoDriverTM	P44759
450-0614	1.2mm Pilot Drill, 4mm Stop, OsteoDriverTM	P44759
450-0615	1.2mm Pilot Drill, 5mm Stop, OsteoDriverTM	P44759
450-0616	1.2mm Pilot Drill, 6mm Stop, OsteoDriverTM	P44759
450-0617	1.2mm Pilot Drill, 8mm Stop, OsteoDriverTM	P44759
450-0621	1.6mm Pilot Drill, 4mm Stop Disposable AutoDriver	P44759
450-0622	1.6mm Pilot Drill, 6mm Stop Disposable AutoDriver	P44759
450-0626	Pilot Drill, .9 x 4mm Stop, Extended, Disposable Autodriver	P44759
450-0627	Pilot Drill, .9 x 5mm Stop, Extended, Disposable Autodriver	P44759
450-0628	Pilot Drill, .9 x 6mm Stop, Extended, Disposable Autodriver	P44759
450-0629	Pilot Drill, .9 x 8mm Stop, Extended, Disposable Autodriver	P44759
450-0630	Pilot Drill, 1.2 x 4mm Stop, Extended, Disposable Autodriver	P44759
450-0631	Pilot Drill, 1.2 x 5mm Stop, Extended, Disposable Autodriver	P44759
450-0632	Pilot Drill, 1.2 x 6mm Stop, Extended, Disposable Autodriver	P44759
450-0633	Pilot Drill, 1.2 x 8mm Stop. Extended, Disposable Autodriver	P44759
450-0634	Pilot Drill, 1.6 x 4mm Stop, Extended, Disposable Autodriver	P44759
450-0635	Pilot Drill, 1.6 x 5mm Stop, Extended, Disposable Autodriver	P44759
450-0636	Pilot Drill, 1.6 x 6mm Stop Extended, Disposable Autodriver	P44759
450-0637	Pilot Drill, 1.6 x 8mm Stop, Extended, Disposable Autodriver	P44759
450-0638	Pilot-Drill, 1.6 x 5mm Stop, Extended, Disposable Autodriver	P44759
450-0639	Pilot-Drill, 1.6 x 8mm Stop, Extended, Disposable Autodriver	P44759
450-0718-SP	Blade, Sag/Osc 7mm/18mm, Arced, Sterile	P44759
450-0777	Series III Straight Drill	P44759
450-1007	Blade, Sag/Osc 10mm/7mm, Angled, Bone Grafting	P44759
450-1007-SP	Blade, Sag/Osc 10mm/7mm, Angled, Bone Grafting, Sterile	P44759
450-1010	Blade, Sag/Osc 10mm/10mm, Arced	P44759
450-1010-SP	Blade, Sag/Osc 10mm/10mm, Arced, Sterile	P44759
450-1016	Blade, Sag, 10mm/16mm Bone Grafting	P44759
450-1016-SP	Blade, Sag, 10mm/16mm Bone Grafting, Sterile	P44759
450-1019	Blade, Sag/Osc 10mm/19mm	P44759
450-1019-SP	Blade, Sag/Osc 10mm/19mm, Sterile	P44759

Part No.	Part Description	GMDN
450-1027	Blade, Sag/Osc 10mm/27mm, Arced	P44759
450-1027-SP	Blade, Sag/Osc 10mm/27mm, Arced, Sterile	P44759
450-1028	Blade, Sag/Osc 10mm/28mm, Arced	P44759
450-1028-SP	Blade, Sag/Osc 10mm/28mm, Arced, Sterile	P44759
450-1029	Blade, Sag/Osc 10mm/29mm	P44759
450-1029-SP	Blade, Sag/Osc 10mm/29mm, Sterile	P44759
450-1039-SP	Blade, Sag/Osc 10mm/39mm, Arced, Sterile	P44759
450-1231	Blade, VRO, Angled 12mm/13mm	P44759
450-1432	Crescentic Blade, 14mm x 32mm	P44759
450-1605	Blade, Sag/Osc 6mm/5mm	P44759
450-1605-SP	Blade, Sag/Osc 6mm/5mm, Sterile	P44759
450-1610	Blade, Sag/Osc 6mm/10mm	P44759
450-1610-SP	Blade, Sag/Osc 6mm/10mm, Sterile	P44759
450-1614-SP	Blade, Sag/Osc 6mm/14mm, Sterile	P44759
450-1619	Blade, Sag/Osc 6mm/19mm	P44759
450-1619-SP	Blade, Sag/Osc 6mm/19mm, Sterile	P44759
450-1626	Blade, Sag/Osc 6mm/26mm	P44759
450-1626-SP	Blade, Sag/Osc 6mm/26mm, Sterile	P44759
450-1830	Crescentic Blade, 18mm x 30mm	P44759
450-1912	Crescentic Blade, 9mm x 12mm	P44759
450-1929-SP	Blade, Sag/Osc 19mm/29mm, Arced, Sterile	P44759
450-1941	Blade, Sag/Osc 19mm/41mm, Arced	P44759
450-1941-SP	Blade, Sag/Osc 19mm/41mm, Arced, Sterile	P44759
450-2012	Blade, Recip., Arced, 12mm, 4mm Stop	P44759
450-2012-SP	Blade, Recip., Arced, 12mm, 4mm Stop, Sterile	P44759
450-2013	Blade, Recip., 13.8mm Cut	P44759
450-2013-SP	Blade, Recip., 13.8mm Cut, Sterile	P44759
450-2015	Blade, Recip., Mini, 15.7mm Cut	P44759
450-2015-SP	Blade, Recip., Mini, 15.7mm Cut, Sterile	P44759
450-2026	Blade, Recip., Long Tapered, 26.3mm Cut	P44759
450-2026-SP	Blade, Recip., Long Tapered, 26.3mm Cut, Sterile	P44759
450-2032	Blade, Recip., VRO, 32.1mm Cut	P44759
450-2032-SP	Blade, Recip., VRO, 32.1mm Cut, Sterile	P44759
450-2033-SP	Blade, Recip., Long 32.7mm Cut, Sterile	P44759
450-2035	Blade, Recip., Extra Long, "HUR" Blade, MAR	P44759
450-2035-SP	Blade, Recip., Extra Long, "HUR" Blade, MAR, Sterile	P44759
450-2050	Rasp, Recip., Straight Cut	P44759
450-2050-SP	Rasp, Recip., Straight Cut, Sterile	P44759
450-2052	Rasp, Recip., Cross Cut	P44759
450-2052-SP	Rasp, Recip., Cross Cut, Sterile	P44759
450-2054	Rasp, Recip., Cross Cut, Short	P44759
450-2054-SP	Rasp, Recip., Cross Cut, Short, Sterile	P44759

Part No.	Part Description	GMDN
450-2055	Rasp, Recip., Extra Long, 13mm x 17mm, Head, MAR	P44759
450-2055-SP	Rasp, Recip., Extra Long, 13mm x 17mm, Head, MAR, Sterile	P44759
450-2126	Blade, Recip., Short Tapered, 26.3mm Cut	P44759
450-2126-SP	Blade, Recip., Short Tapered, 26.3mm Cut, Sterile	P44759
450-2212	Blade, Recip., Arced, 12mm, 4mm Stop, .6mm Thick	P44759
450-2212-SP	Blade, Recip., Arced, 12mm, 4mm Stop, .6mm Thick, Sterile	P44759
450-2214-SP	Blade, Recip., Arced, 17mm, 4mm Stop, .6mm Thick, Sterile	P44759
450-2215	Blade, Recip., Mini, 15.7mm Cut, .6mm Thick	P44759
450-2215-SP	Blade, Recip., Mini, 15.7mm Cut, .6mm Thick, Sterile	P44759
450-2226	Blade, Recip., Long Tapered, .6mm Thick	P44759
450-2226-SP	Blade, Recip., Long Tapered, .6mm Thick, Sterile	P44759
450-2232	Blade, Recip., VRO, .6mm Thick	P44759
450-2232-SP	Blade, Recip., VRO, .6mm Thick	P44759
450-2233-SP	Blade, Recip., Long, .6mm Thick	P44759
450-2326	Blade, Recip., Long, .6mm Thick	P44759
450-2326-SP	Blade, Recip., Short Tapered, .6mm Thick, Sterile	P44759
450-3001	Bur, #1/4 Round, 0.5mm x 59mm	P44759
450-3001-SP	Bur, #1/4 Round, 0.5mm x 59mm, Sterile	P44759
450-3004	Bur, #4 Round, 1.4mm x 59mm	P44759
450-3004-SP	Bur, #4 Round, 1.4mm x 59mm, Sterile	P44759
450-3006-SP	Bur, #6 Round, 1.8mm x 59mm, Sterile	P44759
450-3008-SP	Bur, #8 Round, 2.3mm x 59mm, Sterile	P44759
450-3010-SP	Bur, #10 Round, 2.7mm x 59mm, Sterile	P44759
450-3040	Bur, Round, 4.0mm x 59mm	P44759
450-3040-SP	Bur, Round, 4.0mm x 59mm, Sterile	P44759
450-3050	Bur, Round, 5.0mm x 59mm	P44759
450-3050-SP	Bur, Round, 5.0mm x 59mm, Sterile	P44759
450-3060	Bur, Round, 6.0mm x 59mm	P44759
450-3060-SP	Bur, Round, 6.0mm x 59mm, Sterile	P44759
450-3070	Bur, Round, 7.0mm x 59mm	P44759
450-3070-SP	Bur, Round, 7.0mm x 59mm, Sterile	P44759
450-3101	Drill, Wire Passing, 1.0mm x 69mm	P44759
450-3101-SP	Drill, Wire Passing, 1.0mm x 69mm, Sterile	P44759
450-3115	Drill, Wire Passing, 1.5mm x 69mm	P44759
450-3115-SP	Drill, Wire Passing, 1.5mm x 69mm, Sterile	P44759
450-3116	Bur, Lindemann, 1.6mm x 69mm	P44759
450-3116-SP	Bur, Lindemann, 1.6mm x 69mm, Sterile	P44759
450-3120	Drill, Wire Passing, 2.0mm x 69mm	P44759
450-3120-SP	Drill, Wire Passing, 2.0mm x 69mm, Sterile	P44759
450-3140	Bur, Oval, 4.0mm x 59mm	P44759
450-3140-SP	Bur, Oval, 4.0mm x 59mm, Sterile	P44759
450-3160	Bur, Pineapple, 6.0mm x 65mm	P44759

Part No.	Part Description	GMDN
450-3160-SP	Bur, Pineapple, 6.0mm x 65mm, Sterile	P44759
450-3161-SP	Bur, Christmas Tree, 4mm x 72mm, Sterile	P44759
450-3162-SP	Swanson Pilot Point Reamer, 2.0mm, Sterile	P44759
450-3164-SP	Swanson Pilot Point Reamer, 3.0mm, Sterile	P44759
450-3166-SP	Swanson Pilot Point, Reamer, 4.0mm, Sterile	P44759
450-3168-SP	Swanson Pilot Point, Reamer, 5.0mm, Sterile	P44759
450-3170-SP	Shannon Bur, 2.3mm, Sterile	P44759
450-3701-SP	Bur, #701 1.2mm x 59mm, Sterile	P44759
450-3702-SP	Bur, #702 1.6mm x 59mm, Sterile	P44759
450-3703-SP	Bur, #703 2.1mm x 59mm, Sterile	P44759
450-3713-SP	Bur, #1703 2.1mm x 59mm, Sterile	P44759
450-5008-SP	Bur, #8 Round, 2.3mm x 65mm, Sterile	P44759
450-5030	Bur, Round Diamond, 3.0mm x 59mm	P44759
450-5030-SP	Bur, Round Diamond, 3.0mm x 59mm, Sterile	P44759
450-5035	Bur, Round Diamond, 3.5mm x 59mm	P44759
450-5035-SP	Bur, Round Diamond, 3.5mm x 59mm, Sterile	P44759
450-5040	Bur, Round Diamond, 4.0mm x 59mm	P44759
450-5040-SP	Bur, Round Diamond, 4.0mm x 59mm, Sterile	P44759
450-5045	Bur, Round Diamond, 4.5mm x 59mm	P44759
450-5045-SP	Bur, Round Diamond, 4.5mm x 59mm, Sterile	P44759
450-5702-SP	Bur, #702 1.6mm x 65mm, Sterile	P44759
450-5703-SP	Bur, #703 2.1mm x 65mm, Sterile	P44759
450-5713-SP	Bur, #1703 2.1mm x 65mm, Sterile	P44759
450-6000	Universal Disc Adapter (Non-Sterile)	P44759
450-6003	OsteoGraft Cutting Wheel, .25mm Thick	P44759
450-6003-SP	OsteoGraft Cutting Wheel, .25mm Thick, Sterile Packed	P44759
450-6005	OsteoGraft Cutting Wheel, .5mm Thick	P44759
450-6005-SP	OsteoGraft Cutting Wheel, .5mm Thick, Sterile Packed	P44759
450-6116-SP	Bur, Lindemann, 1.6mm x 84mm, Sterile	P44759
450-6118-SP	Bur, Lindemann, (455ST), 1.6mm x 84mm, Sterile	P44759
450-6140	Bur, Oval, 4.0mm x 69mm	P44759
450-6140-SP	Bur, Oval, 4.0mm x 69mm, Sterile	P44759
450-6702-SP	Bur, #702L Extra Long Bur Head, Sterile	P44759
450-6703-SP	Bur, #703L Extra Long Bur Head, Sterile	P44759
450-6713-SP	Bur, #1703L Extra Long Bur Head, Sterile	P44759
450-8000	Inferior Border Blades, Right and Left	P44759
450-8000-SP	Inferior Border Blades, Right and Left, Sterile	P44759
451-2013-SP	0.4mm x 13.8mm Reciprocating Saw Blade, Long Shaft, Sterile	P44759
451-2015-SP	0.4mm x 15.7mm Reciprocating Saw Blade, Long Shaft, Sterile	P44759
451-2026-SP	0.4mm x 26.3mm Reciprocating Saw Blade, Long Shaft, Sterile	P44759
451-2033-SP	0.4mm x 32.7mm Reciprocating Saw Blade, Long Shaft, Sterile	P44759
451-2052-SP	Cross Cut Rasp, Reciprocating Saw, Long Shaft, Sterile	P44759

Part No.	Part Description	GMDN
451-2054-SP	Cross Cut Rasp, Reciprocating Saw, Short Shaft, Sterile	P44759
451-2126-SP	0.4mm x 26.3mm Reciprocating Saw Blade, Short Shaft, Sterile	P44759
451-2212-SP	0.6mm x 12.0mm Arced Reciprocating Saw Blade, Long Shaft, Sterile	P44759
451-2214-SP	0.6mm x 17.0mm Arced Reciprocating Saw Blade, Long Shaft, Sterile	P44759
451-2226-SP	0.6mm x 26.3mm Reciprocating Saw Blade, Long Shaft, Sterile	P44759
451-2326-SP	0.6mm x 26.3mm Reciprocating Saw Blade, Short Shaft, Sterile	P44759
451-8000-SP	Left & Right Inferior Border Blade, Reciprocating Saw, Sterile	P44759
455-3006	Bur, #6 Round, 1.8mm x 59mm (5 pack)	P44759
455-3008	Bur, #8 Round, 2.3mm x 59mm (5 pack)	P44759
455-3010	Bur, #10 Round, 2.7mm x 59mm (5 pack)	P44759
455-3558	Bur, #558 1.2mm x 59mm (5 pack)	P44759
455-3560	Bur, #560 1.6mm x 59mm (5 pack)	P44759
455-3701	Bur, #701 1.2mm x 59mm (5 pack)	P44759
455-3702	Bur, #702 1.6mm x 59mm (5 pack)	P44759
455-3703	Bur, #703 2.1mm x 59mm (5 pack)	P44759
455-3713	Bur, #1703 2.1mm x 59mm (5 pack)	P44759
455-4004	Bur, #4 Round, 1.4mm x 26mm (5 pack)	P44759
455-4006	Bur, #6 Round, 1.8mm x 26mm (5 pack)	P44759
455-4008	Bur, #8 Round 2.3mm x 26mm (5 pack)	P44759
455-4701	#701, 1.2mm x 22.5mm (5 pack)	P44759
455-4702	#702, 1.6mm x 26mm (5 pack)	P44759
455-4703	#703, 2.1mm x 22.5mm (5 pack)	P44759
455-5008	Bur, #8 Round, 2.3mm x 65mm (5 pack)	P44759
455-5702	Bur, #702 1.6mm x 65mm (5 pack)	P44759
455-5703	Bur, #703 2.1mm x 65mm (5 pack)	P44759
455-5713	Bur, #1703 2.1mm x 65mm (5 pack)	P44759
455-6006	Bur, #6 Round, 1.8mm x 59mm, 6 Flute (5 pack)	P44759
455-6702	Bur, #702 Extra Long Bur Head (5 pack)	P44759
455-6703	Bur, #703 Extra Long Bur Head (5 pack)	P44759
455-6713	Bur, #1703L Extra Long Bur Head (5 pack)	P44759
455-7702	#702 Long, 1.6mm x 33mm (5 pack)	P44759
455-7703	#703 Long, 2.1mm x 33mm (5 pack)	P44759
800-0206	PrimaLOK™ SP 14mm Distractor Screw	P44759
800-0206-SP	PrimaLOK™ SP 14mm Distractor Screws, Sterile 2-Pack	P44759
800-1200	PrimaLOK™ FF Guide Wire	P44759
800-1207	PrimaLOK™ FF Access Needle	P44759
800-1208	PrimaLOK™ FF Single Bevel Access Needle	P44759
800-1209	PrimaLOK™ FF Trocar Tip Access Needle	P44759
800-1212	PrimaLOK™ FF Threaded Implant Driver Shaft - Cannulated	P44759